

Artikel Number	Name
107.000.60	Installation Buzzer Contin. 115-230VAC
107.000.70	Installation Buzzer Contin. 12/24VAC/DC
107.010.60	Installation Buzzer Pulse 115-230VAC
107.010.70	Installation Buzzer Pulse 12/24VAC/DC
109.000.68	Electr. Buzzer EM Contin. tone 230VAC BK
109.000.75	Electr. Buzzer EM Contin. tone 24VAC/DC
109.000.77	Electr. Buzzer EM Contin. tone 115VAC/DC
109.010.68	Electr. Buzzer EM Pulse tone 230VAC BK
109.010.75	Electr. Buzzer EM Pulse tone 24VAC/DC BK
109.010.77	Electr. Buzzer EM Pulse tone 115VAC/DC B
110.000.67	Multi-t.sounder EM 8 tne 115VAC BK
110.000.68	Multi-t.sounder EM 8 tne 230VAC BK
110.000.75	Multi-t.sounder EM 8 tne 24VAC/DC BK
111.000.55	Electr. Buzzer EM Contin/pulse 24VDC BK
111.000.68	Electr. Buzzer EM Contin/pulse 230VAC BK
114.068.15	Electr. Buzzer EM Contin. tone 24VDC BK
118.000.05	Electr. Buzzer EM Contin. tone 24VAC/DC
118.000.28	Electr. Buzzer EM Contin. tone 230VAC BK
118.068.14	Electr. Buzzer EM Contin. tone 12VDC GY
118.068.15	Electr. Buzzer EM Contin. tone 24VAC/DC
118.068.26	Electr. Buzzer EM Contin. tone 48VAC/DC
118.068.27	Electr. Buzzer EM Contin. tone 115VAC/DC
118.068.28	Electr. Buzzer EM Contin. tone 230VAC GY
118.092.15	Electr. Buzzer EM Contin. tone 24VAC/DC
118.483.14	Electr. Buzzer WM Contin. tone 12VDC GY
118.483.15	Electr. Buzzer WM Contin. tone 24VAC/DC
118.483.28	Electr. Buzzer WM Contin. tone 230VAC GY
119.002.68	Electr. Buzzer EM contin/pulse 230VAC BK
119.003.55	Electr. Buzzer EM 3 tne 24VDC GY
119.004.55	Electr. Buzzer EM 3 tne 24VDC GY
119.010.54	Electr. Buzzer EM contin/pulse 12VDC GY
119.068.15	Electr. Buzzer EM contin/pulse 24VAC/DC
119.068.26	Electr. Buzzer EM contin/pulse 48VAC/DC
119.068.27	Electr. Buzzer EM contin/pulse 115VAC/DC
119.068.28	Electr. Buzzer EM contin/pulse 230VAC GY
119.483.15	Electr. Buzzer WM Contin/pulse 24VAC/DC
119.483.28	Electr. Buzzer WM contin/pulse 230VAC GY
123.100.54	Electr. Siren WM alternating 12VDC BK
123.200.55	Electr. Siren WM alternating 24VDC BK
123.201.94	Electr. Siren WM alternating 12VDC BK
126.052.15	Multi-t.sounder WM 4 tne 12-24VDC GY
129.052.55	Multi-t.sounder WM 31 tne 24VDC RD
129.052.67	Multi-t.sounder WM 31 tne 115VAC RD
129.052.68	Multi-t.sounder WM 31 tne 230VAC RD
139.000.55	Multi-t.sounder WM 32 tne 9-60VDC RD
139.000.68	Multi-t.sounder WM 32 tne 115-230VAC RD

139.100.55	Multi-t.sounder WM 32 tne 9-60VDC GY
139.100.68	Multi-t.sounder WM 32 tne 115-230VAC GY
140.150.50	Multi-t.sounder WM 32 tne 9-28VDC RD
140.150.60	Multi-t.sounder WM 32 tne 115-230VAC RD
140.950.50	Multi-t.sounder WM 32 tne 9-28VDC WH
140.950.60	Multi-t.sounder WM 32 tne 115-230VAC WH
141.000.55	Multi-t.sounder WM 32 tne 9-60VDC RD
141.000.68	Multi-t.sounder WM 32 tne 115-230VAC RD
141.100.55	Multi-t.sounder WM 32 tne 9-60VDC GY
141.100.68	Multi-t.sounder WM 32 tne 115-230VAC GY
142.000.55	Multi-t.sounder WM 42 tne 18-30VDC RD
142.000.68	Multi-t.sounder WM 42 tne 115-230VAC RD
142.100.55	Multi-t.sounder WM 42 tne 18-30VDC GY
142.100.68	Multi-t.sounder WM 42 tne 115-230VAC GY
144.000.66	Multi-tone sounder BWM 32 tones 48VAC BK
144.000.67	Multi-t.sounder BWM 32 tne 115VAC BK/GY
144.000.68	Multi-t.sounder BWM 32 tne 230VAC BK/GY
144.000.75	Multi-t.sounder BWM 32 tne 24VAC/DC BK/G
150.100.55	LED Buzzer EM Contin. tone 24VDC RD
150.100.67	LED Buzzer EM Contin. tone 115VAC RD
150.100.68	LED Buzzer EM Contin. tone 230VAC RD
150.300.55	LED Buzzer EM Contin. tone 24VDC YE
150.300.67	LED Buzzer EM Contin. tone 115VAC YE
150.300.68	LED Buzzer EM Contin. tone 230VAC YE
153.000.54	Siren BWM 8 tne 12VDC
153.000.55	Siren BWM 8 tne 24VDC
153.000.60	Siren BWM Contin. tone 115-230VAC
153.000.66	Siren BWM Contin. tone 48VAC
154.000.55	Vocal alarm WM 24VDC BK
160.700.60	Mini Sounder contin/pulse 115-230VAC GY
160.700.74	Mini Sounder contin/pulse 12VAC/DC GY
160.700.75	Mini Sounder contin/pulse 24VAC/DC GY
161.700.60	Midi Sounder 115-230VAC GY
161.700.70	Midi Sounder 12/24VAC/DC GY
190.000.55	Multi-t.sounder WM 32 tne 24VDC GY
190.000.67	Multi-t.sounder WM 32 tne 115VAC GY
190.000.68	Multi-t.sounder WM 32 tne 230VAC GY
190.010.68	Multi-t.sounder WM Contin. tone 230VAC G
190.020.55	Vocal alarm WM 24VDC GY
200.100.00	Permanent Beacon BM 12-230VAC/DC RD
200.200.00	Permanent Beacon BM 12-230VAC/DC GN
200.300.00	Permanent Beacon BM 12-230VAC/DC YE
200.400.00	Permanent Beacon BM 12-230VAC/DC CL
200.500.00	Permanent Beacon BM 12-230VAC/DC BU
203.100.00	Permanent Beacon WM 12-230VAC/DC RD
203.200.00	Permanent Beacon WM 12-230VAC/DC GN
203.300.00	Permanent Beacon WM 12-230VAC/DC YE
203.400.00	Permanent Beacon WM 12-230VAC/DC CL

203.500.00	Permanent Beacon WM 12-230VAC/DC BU
206.100.00	Permanent Beacon EM 12-48VAC/DC RD
206.200.00	Permanent Beacon EM 12-48VAC/DC GN
206.300.00	Permanent Beacon EM 12-48VAC/DC YE
206.400.00	Permanent Beacon EM 12-48VAC/DC CL
206.500.00	Permanent Beacon EM 12-48VAC/DC BU
207.100.67	LED Perm. Beacon EM 115VAC RD
207.100.75	LED Perm. Beacon EM 24VAC/DC RD
207.200.67	LED Perm. Beacon EM 115VAC GN
207.200.75	LED Perm. Beacon EM 24VAC/DC GN
207.300.67	LED Perm. Beacon EM 115VAC YE
207.300.75	LED Perm. Beacon EM 24VAC/DC YE
208.100.55	Flashing Beacon EM 24VDC RD
208.100.67	Flashing Beacon EM 115VAC RD
208.100.68	Flashing Beacon EM 230VAC RD
208.200.55	Flashing Beacon EM 24VDC GN
208.200.67	Flashing Beacon EM 115VAC GN
208.200.68	Flashing Beacon EM 230VAC GN
208.300.55	Flashing Beacon EM 24VDC YE
208.300.67	Flashing Beacon EM 115VAC YE
208.300.68	Flashing Beacon EM 230VAC YE
208.400.55	Flashing Beacon EM 24VDC CL
208.500.55	Flashing Beacon EM 24VDC BU
208.500.67	Flashing Beacon EM 115VAC BU
208.500.68	Flashing Beacon EM 230VAC BU
209.100.00	Permanent Beacon RM 12-230VAC/DC RD
209.200.00	Permanent Beacon RM 12-230VAC/DC GN
209.300.00	Permanent Beacon RM 12-230VAC/DC YE
209.400.00	Permanent Beacon RM 12-240VAC/DC CL
209.500.00	Permanent Beacon RM 12-230VAC/DC BU
210.100.00	Permanent Beacon BM 12-230VAC/DC RD
210.200.00	Permanent Beacon BM 12-230VAC/DC GN
210.300.00	Permanent Beacon BM 12-230VAC/DC YE
210.400.00	Permanent Beacon BM 12-230VAC/DC CL
210.500.00	Permanent Beacon BM 12-230VAC/DC BU
213.100.00	Permanent Beacon WM 12-230VAC/DC RD
213.200.00	Permanent Beacon WM 12-230VAC/DC GN
213.300.00	Permanent Beacon WM 12-230VAC/DC YE
213.400.00	Permanent Beacon WM 12-230VAC/DC CL
213.500.00	Permanent Beacon WM 12-230VAC/DC BU
216.100.00	Permanent Beacon EM 12-48VAC/DC RD
216.200.00	Permanent Beacon EM 12-48VAC/DC GN
216.300.00	Permanent Beacon EM 12-48VAC/DC YE
216.400.00	Permanent Beacon EM 12-48VAC/DC CL
216.500.00	Permanent Beacon EM 12-48VAC/DC BU
219.100.00	Permanent Beacon RM 12-230VAC/DC RD
219.200.00	Permanent Beacon RM 12-230VAC/DC GN
219.300.00	Permanent Beacon RM 12-230VAC/DC YE

219.400.00	Permanent Beacon RM 12-230VAC/DC CL
219.500.00	Permanent Beacon RM 12-230VAC/DC BU
220.100.00	Permanent Beacon BM 12-230VAC/DC RD
220.200.00	Permanent Beacon BM 12-230VAC/DC GN
220.300.00	Permanent Beacon BM 12-230VAC/DC YE
220.400.00	Permanent Beacon BM 12-230VAC/DC CL
220.500.00	Permanent Beacon BM 12-230VAC/DC BU
223.100.00	Permanent Beacon WM 12-230VAC/DC RD
223.200.00	Permanent Beacon WM 12-230VAC/DC GN
223.300.00	Permanent Beacon WM 12-230VAC/DC YE
223.400.00	Permanent Beacon WM 12-230VAC/DC CL
223.500.00	Permanent Beacon WM 12-230VAC/DC BU
230.100.54	Micro LED Installation Beacon 12VDC RD
230.100.55	Micro LED Installation Beacon 24VDC RD
230.100.67	Micro LED Installation Beacon 115VAC RD
230.100.68	Micro LED Installation Beacon 230VAC RD
230.104.55	Micro LED Installation Beacon Eco 24V RD
230.200.54	Micro LED Installation Beacon 12VDC GN
230.200.55	Micro LED Installation Beacon 24VDC GN
230.200.67	Micro LED Installation Beacon 115VAC GN
230.200.68	Micro LED Installation Beacon 230VAC GN
230.204.55	Micro LED Installation Beacon Eco 24V GN
230.300.54	Micro LED Installation Beacon 12VDC YE
230.300.55	Micro LED Installation Beacon 24VDC YE
230.300.67	Micro LED Installation Beacon 115VAC YE
230.300.68	Micro LED Installation Beacon 230VAC YE
230.304.55	Micro LED Installation Beacon Eco 24V YE
230.400.55	Micro LED Installation Beacon 24VDC CL
230.400.67	Micro LED Installation Beacon 115VAC CL
230.400.68	Micro LED Installation Beacon 230VAC CL
230.404.55	Micro LED Installation Beacon Eco 24V CL
230.500.55	Micro LED Installation Beacon 24VDC BU
230.500.67	Micro LED Installation Beacon 115VAC BU
230.500.68	Micro LED Installation Beacon 230VAC BU
231.100.54	Micro LED Installation Beacon 12VDC RD
231.100.55	Micro LED Installation Beacon 24VDC RD
231.100.67	Micro LED Installation Beacon 115VAC RD
231.100.68	Micro LED Installation Beacon 230VAC RD
231.104.55	Micro LED Installation Beacon Eco 24V RD
231.200.54	Micro LED Installation Beacon 12VDC GN
231.200.55	Micro LED Installation Beacon 24VDC GN
231.200.67	Micro LED Installation Beacon 115VAC GN
231.200.68	Micro LED Installation Beacon 230VAC GN
231.204.55	Micro LED Installation Beacon Eco 24V GN
231.300.54	Micro LED Installation Beacon 12VDC YE
231.300.55	Micro LED Installation Beacon 24VDC YE
231.300.67	Micro LED Installation Beacon 115VAC YE
231.300.68	Micro LED Installation Beacon 230VAC YE

231.304.55	Micro LED Installation Beacon Eco 24V YE
231.400.55	Micro LED Installation Beacon 24VDC CL
231.400.67	Micro LED Installation Beacon 115VAC CL
231.400.68	Micro LED Installation Beacon 230VAC CL
231.404.55	Micro LED Installation Beacon Eco 24V CL
231.500.55	Micro LED Installation Beacon 24VDC BU
231.500.67	Micro LED Installation Beacon 115VAC BU
231.500.68	Micro LED Installation Beacon 230VAC BU
231.504.55	Micro LED Installation Beacon Eco 24V BU
239.480.55	LED Beacon EM 24VDC MC
239.482.55	LED Beacon EM 24VDC MC
239.780.55	AS-i LED Beacon EM 24VDC MC
240.110.50	MC55 RGB Blinking Cable 10-30VDC
240.120.50	MC55 RGB M12-plug 10-30VDC
240.130.50	MC55 RGB Blinking Buzzer Cable 10-30VDC
240.140.50	MC55 RGB Buzzer M12-plug 10-30VDC
240.160.55	MC55 Touch S 24VDC
240.170.55	MC55 Touch S 24VDC Buzzer
240.210.55	MC55 RGY Cable 24VDC
240.220.55	MC55 RGY M12-plug 24VDC
240.230.55	MC55 RGY Buzzer Cable 24VDC
240.240.55	MC55 RGY Buzzer M12-plug 24VDC
240.260.55	MC55 Touch 24VDC O NPN
240.270.55	MC55 Touch 24VDC O NPN Buzzer
240.280.55	MC55 Touch 24VDC O PNP
240.290.55	MC55 Touch 24VDC O PNP Buzzer
240.320.50	MC55 UL Beacon 10-30V RGB M12
240.340.50	MC55 UL Beacon + Buzzer 10-30V RGB M12
240.420.55	MC55 UL Beacon 24V RGY M12
240.440.55	MC55 UL Beacon + Buzzer 24V RGY M12
241.320.50	MC35 UL Beacon 10-30V RGB M12
241.340.50	MC35 UL Beacon + Buzzer 10-30V RGB M12
241.420.55	MC35 UL Beacon 24V RGY M12
241.440.55	MC35 UL Beacon + Buzzer 24V RGY M12
260.110.60	Mini TwinLIGHT 115-230VAC RD
260.110.74	Mini TwinLIGHT 12VAC/DC RD
260.110.75	Mini TwinLIGHT 24VAC/DC RD
260.120.60	Mini TwinFLASH 115-230VAC RD
260.120.74	Mini TwinFLASH 12VAC/DC RD
260.120.75	Mini TwinFLASH 24VAC/DC RD
260.210.60	Mini TwinLIGHT 115-230VAC GN
260.210.74	Mini TwinLIGHT 12VAC/DC GN
260.210.75	Mini TwinLIGHT 24VAC/DC GN
260.220.60	Mini TwinFLASH 115-230VAC GN
260.220.74	Mini TwinFLASH 12VAC/DC GN
260.220.75	Mini TwinFLASH 24VAC/DC GN
260.310.60	Mini TwinLIGHT 115-230VAC YE
260.310.74	Mini TwinLIGHT 12VAC/DC YE

260.310.75	Mini TwinLIGHT 24VAC/DC YE
260.320.60	Mini TwinFLASH 115-230VAC YE
260.320.74	Mini TwinFLASH 12VAC/DC YE
260.320.75	Mini TwinFLASH 24VAC/DC YE
260.410.60	Mini TwinLIGHT 115-230VAC CL
260.410.74	Mini TwinLIGHT 12VAC/DC CL
260.410.75	Mini TwinLIGHT 24VAC/DC CL
260.420.60	Mini TwinFLASH 115-230VAC CL
260.420.74	Mini TwinFLASH 12VAC/DC CL
260.420.75	Mini TwinFLASH 24VAC/DC CL
260.430.75	Mini TriColour 24VAC/DC RD/YE/GN
260.510.60	Mini TwinLIGHT 115-230VAC BU
260.510.74	Mini TwinLIGHT 12VAC/DC BU
260.510.75	Mini TwinLIGHT 24VAC/DC BU
260.520.60	Mini TwinFLASH 115-230VAC BU
260.520.74	Mini TwinFLASH 12VAC/DC BU
260.520.75	Mini TwinFLASH 24VAC/DC BU
260.700.01	Mini Adapter Floor Mount GY
260.700.03	Mini Adapter Installation mount M22 GY
260.700.04	Mini Adapter Installation mount PG29 GY
260.700.05	Mini Tube Adaptor GY
260.700.06	Mini Bracket Cable Gland GY
260.700.07	Mini Bracket GY
261.110.60	Midi TwinLIGHT 115-230VAC RD
261.110.70	Midi TwinLIGHT 12/24VAC/DC RD
261.120.60	Midi TwinFLASH 115-230VAC RD
261.120.70	Midi TwinFLASH 12/24VAC/DC RD
261.140.60	Midi Rotating 115-230VAC RD
261.140.70	Midi Rotating 12/24V AC/DC RD
261.210.60	Midi TwinLIGHT 115-230VAC GN
261.210.70	Midi TwinLIGHT 12/24VAC/DC GN
261.220.60	Midi TwinFLASH 115-230VAC GN
261.220.70	Midi TwinFLASH 12/24VAC/DC GN
261.240.60	Midi Rotating 115-230VAC GN
261.240.70	Midi Rotating 12/24V AC/DC GN
261.310.60	Midi TwinLIGHT 115-230VAC YE
261.310.70	Midi TwinLIGHT 12/24VAC/DC YE
261.320.60	Midi TwinFLASH 115-230VAC YE
261.320.70	Midi TwinFLASH 12/24VAC/DC YE
261.340.60	Midi Rotating 115-230VAC YE
261.340.70	Midi Rotating 12/24V AC/DC YE
261.410.60	Midi TwinLIGHT 115-230VAC CL
261.410.70	Midi TwinLIGHT 12/24VAC/DC CL
261.420.60	Midi TwinFLASH 115-230VAC CL
261.420.70	Midi TwinFLASH 12/24VAC/DC CL
261.430.60	Midi TriColour 115-230VAC RD/YE/GN
261.430.70	Midi TriColour 12/24VAC/DC RD/YE/GN
261.440.60	Midi Rotating 115-230VAC CL

261.440.70	Midi Rotating 12/24V AC/DC CL
261.510.60	Midi TwinLIGHT 115-230VAC BU
261.510.70	Midi TwinLIGHT 12/24VAC/DC BU
261.520.60	Midi TwinFLASH 115-230VAC BU
261.520.70	Midi TwinFLASH 12/24VAC/DC BU
261.540.60	Midi Rotating 115-230VAC BU
261.540.70	Midi Rotating 12/24V AC/DC BU
261.700.01	Midi Adapter Floor Mount GY
261.700.02	Midi Adaptor Cable Gland GY
261.700.03	Midi Horn Bracket GY
261.700.05	Midi Tube Adaptor GY
261.700.06	Midi Bracket Cable Gland GY
261.700.07	Midi Bracket GY
262.110.60	Maxi TwinLIGHT 115-230VAC RD
262.110.70	Maxi TwinLIGHT 12/24VAC/DC RD
262.120.60	Maxi TwinFLASH 115-230VAC RD
262.120.70	Maxi TwinFLASH 12/24VAC/DC RD
262.140.60	Maxi Rotating 115-230VAC RD
262.140.70	Maxi Rotating 12/24VAC/DC RD
262.210.60	Maxi TwinLIGHT 115-230VAC GN
262.210.70	Maxi TwinLIGHT 12/24VAC/DC GN
262.220.60	Maxi TwinFLASH 115-230VAC GN
262.220.70	Maxi TwinFLASH 12/24VAC/DC GN
262.240.60	Maxi Rotating 115-230VAC GN
262.240.70	Maxi Rotating 12/24VAC/DC GN
262.310.60	Maxi TwinLIGHT 115-230VAC YE
262.310.70	Maxi TwinLIGHT 12/24VAC/DC YE
262.320.60	Maxi TwinFLASH 115-230VAC YE
262.320.70	Maxi TwinFLASH 12/24VAC/DC YE
262.340.60	Maxi Rotating 115-230VAC YE
262.340.70	Maxi Rotating 12/24VAC/DC YE
262.410.60	Maxi TwinLIGHT 115-230VAC CL
262.410.70	Maxi TwinLIGHT 12/24VAC/DC CL
262.420.60	Maxi TwinFLASH 115-230VAC CL
262.420.70	Maxi TwinFLASH 12/24VAC/DC CL
262.440.60	Maxi Rotating 115-230VAC CL
262.440.70	Maxi Rotating 12/24VAC/DC CL
262.510.60	Maxi TwinLIGHT 115-230VAC BU
262.510.70	Maxi TwinLIGHT 12/24VAC/DC BU
262.520.60	Maxi TwinFLASH 115-230VAC BU
262.520.70	Maxi TwinFLASH 12/24VAC/DC BU
262.540.60	Maxi Rotating 115-230VAC BU
262.540.70	Maxi Rotating 12/24VAC/DC BU
262.700.01	Maxi Adapter Floor Mount GY
262.700.02	Maxi adapter side cable gland GY
262.700.06	Maxi angle cable gland GY
262.700.07	Maxi angle GY
280.410.55	LED Obstruction light BM 12-50VDC RD

280.410.68	LED Obstruction light BM 230VAC RD
280.470.55	LED Obstruction light BM 24VDC RD
280.470.68	LED Obstruction light BM 230VAC RD
280.480.68	LED Obstruction light BM 230VAC RD
281.410.55	LED Obstruction light BM 12-50VDC RD
281.410.68	LED Obstruction light BM 230VAC RD
281.470.55	LED Obstruction light BM 24VDC RD
281.470.68	LED Obstruction light BM 230VAC RD
281.480.68	LED Obstruction light BM 230VAC RD
300.100.01	LineLIGHT Fusion 100 24V RGB Clip
300.100.02	LineLIGHT Fusion 100 24V RGB Clip A
300.100.03	LineLIGHT Fusion 100 24V RGB Tape
300.100.04	LineLIGHT Fusion 100 24V RGB Tape A
300.100.05	LineLIGHT Fusion 200 24V RGB Clip
300.100.06	LineLIGHT Fusion 200 24V RGB Clip A
300.100.07	LineLIGHT Fusion 200 24V RGB Tape
300.100.08	LineLIGHT Fusion 200 24V RGB Tape A
300.100.09	LineLIGHT Fusion 500 24V RGB Clip
300.100.10	LineLIGHT Fusion 500 24V RGB Clip A
300.100.11	LineLIGHT Fusion 500 24V RGB Tape
300.100.12	LineLIGHT Fusion 500 24V RGB Tape A
300.100.13	LineLIGHT Fusion 150 24V RGB Clip
300.100.14	LineLIGHT Fusion 150 24V RGB Clip A
300.100.15	LineLIGHT Fusion 250 24V RGB Clip
300.100.16	LineLIGHT Fusion 250 24V RGB Clip A
300.100.17	LineLIGHT Fusion 300 24V RGB Clip
300.100.18	LineLIGHT Fusion 300 24V RGB Clip A
300.100.19	LineLIGHT Fusion 350 24V RGB Clip
300.100.20	LineLIGHT Fusion 350 24V RGB Clip A
300.100.21	LineLIGHT Fusion 400 24V RGB Clip
300.100.22	LineLIGHT Fusion 400 24V RGB Clip A
300.100.23	LineLIGHT Fusion 450 24V RGB Clip
300.100.24	LineLIGHT Fusion 450 24V RGB Clip A
300.100.25	LineLIGHT Fusion 550 24V RGB Clip
300.100.26	LineLIGHT Fusion 550 24V RGB Clip A
300.100.27	LineLIGHT Fusion 600 24V RGB Clip
300.100.28	LineLIGHT Fusion 600 24V RGB Clip A
300.100.29	LineLIGHT Fusion 650 24V RGB Clip
300.100.30	LineLIGHT Fusion 650 24V RGB Clip A
300.100.31	LineLIGHT Fusion 700 24V RGB Clip
300.100.32	LineLIGHT Fusion 700 24V RGB Clip A
300.100.33	LineLIGHT Fusion 750 24V RGB Clip
300.100.34	LineLIGHT Fusion 750 24V RGB Clip A
300.100.35	LineLIGHT Fusion 800 24V RGB Clip
300.100.36	LineLIGHT Fusion 800 24V RGB Clip A
300.100.37	LineLIGHT Fusion 850 24V RGB Clip
300.100.38	LineLIGHT Fusion 850 24V RGB Clip A
300.100.39	LineLIGHT Fusion 900 24V RGB Clip

300.100.40	LineLIGHT Fusion 900 24V RGB Clip A
300.100.41	LineLIGHT Fusion 950 24V RGB Clip
300.100.42	LineLIGHT Fusion 950 24V RGB Clip A
300.100.43	LineLIGHT Fusion 1000 24V RGB Clip
300.100.44	LineLIGHT Fusion 1000 24V RGB Clip A
300.100.45	LineLIGHT Fusion 1050 24V RGB Clip
300.100.46	LineLIGHT Fusion 1050 24V RGB Clip A
300.100.47	LineLIGHT Fusion 1100 24V RGB Clip
300.100.48	LineLIGHT Fusion 1100 24V RGB Clip A
300.100.49	LineLIGHT Fusion 1150 24V RGB Clip
300.100.50	LineLIGHT Fusion 1150 24V RGB Clip A
300.100.51	LineLIGHT Fusion 1200 24V RGB Clip
300.100.52	LineLIGHT Fusion 1200 24V RGB Clip A
300.100.53	LineLIGHT Fusion 1250 24V RGB Clip
300.100.54	LineLIGHT Fusion 1250 24V RGB Clip A
300.100.55	LineLIGHT Fusion 1300 24V RGB Clip
300.100.56	LineLIGHT Fusion 1300 24V RGB Clip A
300.100.57	LineLIGHT Fusion 1350 24V RGB Clip
300.100.58	LineLIGHT Fusion 1350 24V RGB Clip A
300.100.59	LineLIGHT Fusion 1400 24V RGB Clip
300.100.60	LineLIGHT Fusion 1400 24V RGB Clip A
300.100.61	LineLIGHT Fusion 1450 24V RGB Clip
300.100.62	LineLIGHT Fusion 1450 24V RGB Clip A
300.100.63	LineLIGHT Fusion 1500 24V RGB Clip
300.100.64	LineLIGHT Fusion 1500 24V RGB Clip A
420.120.75	LED Multi-tone S. BM 8 tone 24VAC/DC RD
420.320.75	LED Multi-tone S. BM 8 tone 24VAC/DC YE
424.120.67	LED Horn WM Contin. tone 115VAC RD
424.120.68	LED Horn WM Contin. tone 230VAC RD
424.120.75	LED Horn WM Contin. tone 24VAC/DC RD
424.320.67	LED Horn WM Contin. tone 115VAC YE
424.320.68	LED Horn WM Contin. tone 230VAC YE
424.320.75	LED Horn WM Contin. tone 24VAC/DC YE
430.100.60	LED Siren BM 32 tone 115-230VAC RD
430.100.70	LED Siren BM 32 tone 10-48VAC/DC RD
430.100.75	LED Siren BM 32 tone 24VAC/DC RD
430.200.60	LED Siren BM 32 tone 115-230VAC GN
430.200.70	LED Siren BM 32 tone 10-48VAC/DC GN
430.200.75	LED Siren BM 32 tone 24VAC/DC GN
430.300.60	LED Siren BM 32 tone 115-230VAC YE
430.300.70	LED Siren BM 32 tone 10-48VAC/DC YE
430.300.75	LED Siren BM 32 tone 24VAC/DC YE
430.400.60	LED Siren BM 32 tone 115-230VAC CL
430.400.70	LED Siren BM 32 tone 10-48VAC/DC CL
430.400.75	LED Siren BM 32 tone 24VAC/DC CL
430.500.60	LED Siren BM 32 tone 115-230VAC BU
430.500.70	LED Siren BM 32 tone 10-48VAC/DC BU
430.500.75	LED Siren BM 32 tone 24VAC/DC BU

431.100.60	LED Siren BM 32 tne 115-230VAC RD
431.100.70	LED Siren BM 32 tne 10-48VAC/DC RD
431.100.75	LED Siren BM 32 tne 24VAC/DC RD
431.110.60	LED Siren BM 32 tne 115-230VAC RD
431.110.70	LED Siren BM 32 tne 10-48VAC/DC RD
431.110.75	LED Siren BM 32 tne 24VAC/DC RD
431.200.60	LED Siren BM 32 tne 115-230VAC GN
431.200.70	LED Siren BM 32 tne 10-48VAC/DC GN
431.200.75	LED Siren BM 32 tne 24VAC/DC GN
431.210.60	LED Siren BM 32 tne 115-230VAC GN
431.210.70	LED Siren BM 32 tne 10-48VAC/DC GN
431.210.75	LED Siren BM 32 tne 24VAC/DC GN
431.300.60	LED Siren BM 32 tne 115-230VAC YE
431.300.70	LED Siren BM 32 tne 10-48VAC/DC YE
431.300.75	LED Siren BM 32 tne 24VAC/DC YE
431.310.60	LED Siren BM 32 tne 115-230VAC YE
431.310.70	LED Siren BM 32 tne 10-48VAC/DC YE
431.310.75	LED Siren BM 32 tne 24VAC/DC YE
431.400.60	LED Siren BM 32 tne 115-230VAC CL
431.400.70	LED Siren BM 32 tne 10-48VAC/DC CL
431.400.75	LED Siren BM 32 tne 24VAC/DC CL
431.410.60	LED Siren BM 32 tne 115-230VAC CL
431.410.70	LED Siren BM 32 tne 10-48VAC/DC CL
431.410.75	LED Siren BM 32 tne 24VAC/DC CL
431.500.60	LED Siren BM 32 tne 115-230VAC BU
431.500.70	LED Siren BM 32 tne 10-48VAC/DC BU
431.500.75	LED Siren BM 32 tne 24VAC/DC BU
431.510.60	LED Siren BM 32 tne 115-230VAC BU
431.510.70	LED Siren BM 32 tne 10-48VAC/DC BU
431.510.75	LED Siren BM 32 tne 24VAC/DC BU
432.100.60	LED Siren WM 32 tne 115-230VAC RD
432.100.70	LED Siren WM 32 tne 10-48VAC/DC RD
432.100.75	LED Siren WM 32 tne 24VAC/DC RD
432.200.60	LED Siren WM 32 tne 115-230VAC GN
432.200.70	LED Siren WM 32 tne 10-48VAC/DC GN
432.200.75	LED Siren WM 32 tne 24VAC/DC GN
432.300.60	LED Siren WM 32 tne 115-230VAC YE
432.300.70	LED Siren WM 32 tne 10-48VAC/DC YE
432.300.75	LED Siren WM 32 tne 24VAC/DC YE
432.400.60	LED Siren WM 32 tne 115-230VAC CL
432.400.70	LED Siren WM 32 tne 10-48VAC/DC CL
432.400.75	LED Siren WM 32 tne 24VAC/DC CL
432.500.60	LED Siren WM 32 tne 115-230VAC BU
432.500.70	LED Siren WM 32 tne 10-48VAC/DC BU
432.500.75	LED Siren WM 32 tne 24VAC/DC BU
433.100.60	LED Siren WM 32 tne 115-230VAC RD
433.100.70	LED Siren WM 32 tne 10-48VAC/DC RD
433.100.75	LED Siren WM 32 tne 24VAC/DC RD

433.110.60	LED Siren WM 32 tne 115-230VAC RD
433.110.70	LED Siren WM 32 tne 10-48VAC/DC RD
433.110.75	LED Siren WM 32 tne 24VAC/DC RD
433.200.60	LED Siren WM 32 tne 115-230VAC GN
433.200.70	LED Siren WM 32 tne 10-48VAC/DC GN
433.200.75	LED Siren WM 32 tne 24VAC/DC GN
433.210.60	LED Siren WM 32 tne 115-230VAC GN
433.210.70	LED Siren WM 32 tne 10-48VAC/DC GN
433.210.75	LED Siren WM 32 tne 24VAC/DC GN
433.300.60	LED Siren WM 32 tne 115-230VAC YE
433.300.70	LED Siren WM 32 tne 10-48VAC/DC YE
433.300.75	LED Siren WM 32 tne 24VAC/DC YE
433.310.60	LED Siren WM 32 tne 115-230VAC YE
433.310.70	LED Siren WM 32 tne 10-48VAC/DC YE
433.310.75	LED Siren WM 32 tne 24VAC/DC YE
433.400.60	LED Siren WM 32 tne 115-230VAC CL
433.400.70	LED Siren WM 32 tne 10-48VAC/DC CL
433.400.75	LED Siren WM 32 tne 24VAC/DC CL
433.410.60	LED Siren WM 32 tne 115-230VAC CL
433.410.70	LED Siren WM 32 tne 10-48VAC/DC CL
433.410.75	LED Siren WM 32 tne 24VAC/DC CL
433.500.60	LED Siren WM 32 tne 115-230VAC BU
433.500.70	LED Siren WM 32 tne 10-48VAC/DC BU
433.500.75	LED Siren WM 32 tne 24VAC/DC BU
433.510.60	LED Siren WM 32 tne 115-230VAC BU
433.510.70	LED Siren WM 32 tne 10-48VAC/DC BU
433.510.75	LED Siren WM 32 tne 24VAC/DC BU
434.100.60	LED Horn WM Contin. tone 115-230VAC RD
434.100.70	LED Horn WM Contin. tone 10-48VAC/DC RD
434.100.75	LED Horn WM Contin. tone 24VAC/DC RD
434.200.60	LED Horn WM Contin. tone 115-230VAC GN
434.200.70	LED Horn WM Contin. tone 10-48VAC/DC GN
434.200.75	LED Horn WM Contin. tone 24VAC/DC GN
434.300.60	LED Horn WM Contin. tone 115-230VAC YE
434.300.70	LED Horn WM Contin. tone 10-48VAC/DC YE
434.300.75	LED Horn WM Contin. tone 24VAC/DC YE
434.400.60	LED Horn WM Contin. tone 115-230VAC CL
434.400.70	LED Horn WM Contin. tone 10-48VAC/DC CL
434.400.75	LED Horn WM Contin. tone 24VAC/DC CL
434.500.60	LED Horn WM Contin. tone 115-230VAC BU
434.500.70	LED Horn WM Contin. tone 10-48VAC/DC BU
434.500.75	LED Horn WM Contin. tone 24VAC/DC BU
435.100.60	LED Horn WM Contin. tone 115-230VAC RD
435.100.70	LED Horn WM Contin. tone 10-48VAC/DC RD
435.100.75	LED Horn WM Contin. tone 24VAC/DC RD
435.110.60	LED Horn WM Contin. tone 115-230VAC RD
435.110.70	LED Horn WM Contin. tone 10-48VAC/DC RD
435.110.75	LED Horn WM Contin. tone 24VAC/DC RD

435.200.60	LED Horn WM Contin. tone 115-230VAC GN
435.200.70	LED Horn WM Contin. tone 10-48VAC/DC GN
435.200.75	LED Horn WM Contin. tone 24VAC/DC GN
435.210.60	LED Horn WM Contin. tone 115-230VAC GN
435.210.70	LED Horn WM Contin. tone 10-48VAC/DC GN
435.210.75	LED Horn WM Contin. tone 24VAC/DC GN
435.300.60	LED Horn WM Contin. tone 115-230VAC YE
435.300.70	LED Horn WM Contin. tone 10-48VAC YE
435.300.75	LED Horn WM Contin. tone 24VAC/DC YE
435.310.60	LED Horn WM Contin. tone 115-230VAC YE
435.310.70	LED Horn WM Contin. tone 10-48VAC/DC YE
435.310.75	LED Horn WM Contin. tone 24VAC/DC YE
435.400.60	LED Horn WM Contin. tone 115-230VAC CL
435.400.70	LED Horn WM Contin. tone 10-48VAC/DC CL
435.400.75	LED Horn WM Contin. tone 24VAC/DC CL
435.410.60	LED Horn WM Contin. tone 115-230VAC CL
435.410.70	LED Horn WM Contin. tone 10-48VAC/DC CL
435.410.75	LED Horn WM Contin. tone 24VAC/DC CL
435.500.60	LED Horn WM Contin. tone 115-230VAC BU
435.500.70	LED Horn WM Contin. tone 10-48VAC/DC BU
435.500.75	LED Horn WM Contin. tone 24VAC/DC BU
435.510.60	LED Horn WM Contin. tone 115-230VAC BU
435.510.70	LED Horn WM Contin. tone 10-48VAC/DC BU
435.510.75	LED Horn WM Contin. tone 24VAC/DC BU
439.010.55	Flash/Sounder WM 32 tne 9-60VDC RD/RD
439.010.68	Flash/Sounder WM 32 tne 115-230VAC RD/RD
439.030.55	Flash/Sounder WM 32 tne 9-60VDC RD/YE
439.030.68	Flash/Sounder WM 32 tne 115-230VAC RD/YE
439.110.55	Flash/Sounder WM 32 tne 9-60VDC GY/RD
439.110.68	Flash/Sounder WM 32 tne 115-230VAC GY/RD
439.130.55	Flash/Sounder WM 32 tne 9-60VDC GY/YE
439.130.68	Flash/Sounder WM 32 tne 115-230VAC GY/YE
441.010.55	Flash/Sounder WM 32 tne 9-60VDC RD/RD
441.010.68	Flash/Sounder WM 32 tne 230VAC RD/RD
441.030.55	Flash/Sounder WM 32 tne 9-60VDC RD/YE
441.030.68	Flash/Sounder WM 32 tne 230VAC RD/YE
441.110.55	Flash/Sounder WM 32 tne 9-60VDC GY/RD
441.110.68	Flash/Sounder WM 32 tne 230VAC GY/RD
441.130.55	Flash/Sounder WM 32 tne 9-60VDC GY/YE
441.130.68	Flash/Sounder WM 32 tne 230VAC GY/YE
442.010.55	Flash/Sounder WM 42 tne 18-30VDC RD/RD
442.010.68	Flash/Sounder WM 42 tne 115-230VAC RD/RD
442.030.55	Flash/Sounder WM 42 tne 18-30VDC RD/YE
442.030.68	Flash/Sounder WM 42 tne 115-230VAC RD/YE
442.110.55	Flash/Sounder WM 42 tne 18-30VDC GY/RD
442.110.68	Flash/Sounder WM 42 tne 115-230VAC GY/RD
442.130.55	Flash/Sounder WM 42 tne 18-30VDC GY/YE
442.130.68	Flash/Sounder WM 42 tne 115-230VAC GY/YE

444.100.66	LED Flash/Sounder BWM 32 tne 48VAC RD
444.100.67	LED Flash/Sounder BWM 32 tne 115VAC RD
444.100.68	LED Flash/Sounder BWM 32 tne 230VAC RD
444.100.75	LED Flash/Sounder BWM 32 tne 24VAC/DC RD
444.110.67	LED EVS-Multi-tne S. BWM 32 tne 115VAC R
444.110.68	LED EVS-Multi-tne S. BWM 32 tne 230VAC R
444.110.75	LED-EVS-Multi-tne S. BWM 32 tne 24VAC/DC
444.300.66	LED Flash/Sounder BWM 32 tne 48VAC YE
444.300.67	LED Flash/Sounder BWM 32 tne 115VAC YE
444.300.68	LED Flash/Sounder BWM 32 tne 230VAC YE
444.300.75	LED Flash/Sounder BWM 32 tne 24VAC/DC YE
444.310.67	LED EVS-Multi-tne S. BWM 32 tne 115VAC Y
444.310.68	LED EVS-Multi-tne S. BWM 32 tne 230VAC Y
444.310.75	LED-EVS-Multi-tne S. BWM 32 tne 24VAC/DC
450.100.55	LED Buzzer EM Contin. tone 24VDC RD
450.110.55	AS-i LED/Buzzer EM Contin. tone 30VDC RD
450.300.55	LED Buzzer EM Contin. tone 24VDC YE
450.310.55	AS-i LED/Buzzer EM Contin. tone 30VDC YE
460.110.60	Mini TwinLIGHT Combi 115-230VAC RD
460.110.74	Mini TwinLIGHT Combi 12VAC/DC RD
460.110.75	Mini TwinLIGHT Combi 24VAC/DC RD
460.120.60	Mini TwinFLASH Combi 115-230VAC RD
460.120.74	Mini TwinFLASH Combi 12VAC/DC RD
460.120.75	Mini TwinFLASH Combi 24VAC/DC RD
460.210.60	Mini TwinLIGHT Combi 115-230VAC GN
460.210.74	Mini TwinLIGHT Combi 12VAC/DC GN
460.210.75	Mini TwinLIGHT Combi 24VAC/DC GN
460.220.60	Mini TwinFLASH Combi 115-230VAC GN
460.220.74	Mini TwinFLASH Combi 12VAC/DC GN
460.220.75	Mini TwinFLASH Combi 24VAC/DC GN
460.310.60	Mini TwinLIGHT Combi 115-230VAC YE
460.310.74	Mini TwinLIGHT Combi 12VAC/DC YE
460.310.75	Mini TwinLIGHT Combi 24VAC/DC YE
460.320.60	Mini TwinFLASH Combi 115-230VAC YE
460.320.74	Mini TwinFLASH Combi 12VAC/DC YE
460.320.75	Mini TwinFLASH Combi 24VAC/DC YE
460.410.60	Mini TwinLIGHT Combi 115-230VAC CL
460.410.74	Mini TwinLIGHT Combi 12VAC/DC CL
460.410.75	Mini TwinLIGHT Combi 24VAC/DC CL
460.420.60	Mini TwinFLASH Combi 115-230VAC CL
460.420.74	Mini TwinFLASH Combi 12VAC/DC CL
460.420.75	Mini TwinFLASH Combi 24VAC/DC CL
460.510.60	Mini TwinLIGHT Combi 115-230VAC BU
460.510.74	Mini TwinLIGHT Combi 12VAC/DC BU
460.510.75	Mini TwinLIGHT Combi 24VAC/DC BU
460.520.60	Mini TwinFLASH Combi 115-230VAC BU
460.520.74	Mini TwinFLASH Combi 12VAC/DC BU
460.520.75	Mini TwinFLASH Combi 24VAC/DC BU

461.110.60	Midi TwinLIGHT Combi 115-230VAC RD
461.110.70	Midi TwinLIGHT Combi 12/24VAC/DC RD
461.120.60	Midi TwinFLASH Combi 115-230VAC RD
461.120.70	Midi TwinFLASH Combi 12/24VAC/DC RD
461.210.60	Midi TwinLIGHT Combi 115-230VAC GN
461.210.70	Midi TwinLIGHT Combi 12/24VAC/DC GN
461.220.60	Midi TwinFLASH Combi 115-230VAC GN
461.220.70	Midi TwinFLASH Combi 12/24VAC/DC GN
461.310.60	Midi TwinLIGHT Combi 115-230VAC YE
461.310.70	Midi TwinLIGHT Combi 12/24VAC/DC YE
461.320.60	Midi TwinFLASH Combi 115-230VAC YE
461.320.70	Midi TwinFLASH Combi 12/24VAC/DC YE
461.410.60	Midi TwinLIGHT Combi 115-230VAC CL
461.410.70	Midi TwinLIGHT Combi 12/24VAC/DC CL
461.420.60	Midi TwinFLASH Combi 115-230VAC CL
461.420.70	Midi TwinFLASH Combi 12/24VAC/DC CL
461.510.60	Midi TwinLIGHT Combi 115-230VAC BU
461.510.70	Midi TwinLIGHT Combi 12/24VAC/DC BU
461.520.60	Midi TwinFLASH Combi 115-230VAC BU
461.520.70	Midi TwinFLASH Combi 12/24VAC/DC BU
570.052.54	Signal horn WM Contin. tone 12VDC GY
570.052.55	Signal horn WM Contin. tone 24VDC GY
570.052.57	Signal horn WM Contin. tone 115VDC GY
570.052.58	Signal horn WM Contin. tone 230VDC GY
570.052.65	Signal horn WM Contin. tone 24VAC GY
570.052.66	Signal horn WM Contin. tone 42-48VAC GY
570.052.67	Signal horn WM Contin. tone 115VAC GY
570.052.68	Signal horn WM Contin. tone 230VAC GY
570.100.68	Signal horn WM Pulse tone 230VAC GY
570.902.55	Signal horn WM Contin. tone 24VDC GY
570.902.68	Signal horn WM Contin. tone 230VAC GY
571.052.55	Signal horn WM Contin. tone 24VDC GY
571.052.67	Signal horn WM Contin. tone 115VAC GY
571.052.68	Signal horn WM Contin. tone 230VAC GY
572.000.55	Signal horn WM Contin. tone 24VDC GY
572.000.67	Signal horn WM Contin. tone 115VAC GY
572.000.68	Signal horn WM Contin. tone 230VAC GY
573.000.55	Signal horn WM Contin. tone 24VDC BK/GY
573.000.65	Signal horn WM Contin. tone 24VAC BK/GY
573.000.66	Signal horn WM Contin. tone 42VAC BK/GY
573.000.67	Signal horn WM Contin. tone 115VAC BK/GY
573.000.68	Signal horn WM Contin. tone 230VAC BK/GY
574.000.60	Signal horn WM Contin. tone 115-230VAC G
574.000.70	Signal horn WM Contin. tone 10-48VAC/DC
574.000.75	Signal horn WM Contin. tone 24VAC/DC GY
575.000.60	Signal horn WM Contin. tone 115-230VAC G
575.000.70	Signal horn WM Contin. tone 10-48VAC/DC
575.000.75	Signal horn WM Contin. tone 24VAC/DC GY

584.000.66	Signal horn WM Contin. tone 48VAC GY
584.000.67	Signal horn WM Contin. tone 115VAC GY
584.000.68	Signal horn WM Contin. tone 230VAC GY
584.000.75	Signal horn WM Contin. tone 24VAC/DC GY
585.000.66	Signal horn WM Contin. tone 48VAC GY
585.000.67	Signal horn WM Contin. tone 115VAC GY
585.000.68	Signal horn WM Contin. tone 230VAC GY
585.000.75	Signal horn WM Contin. tone 24VAC/DC GY
604.340.55	LED Perm. light element 24VDC YE
630.700.75	connection element 24VAC/DC GY
630.710.00	Adapter for base mount. BWM GY
630.720.00	Adapter for single hole mount. EM GY
630.730.00	Adapter f. tube mount. RM GY
630.800.75	Terminal element 24VAC/DC BK
630.810.00	Adapter for base mount. BWM BK
630.820.00	Adapter for single hole mount. EM BK
630.830.00	Adapter f. tube mount. RM BK
631.400.55	Terminal element IO-Link 24VDC CL
631.800.55	Terminal element IO-Link 24VDC BK
634.110.75	TwinLIGHT Classic 24VAC/DC RD
634.120.55	TwinFLASH Classic 24VDC RD
634.130.75	TwinLIGHT Design 24VAC/DC RD
634.140.55	TwinFLASH Design 24VDC RD
634.210.75	TwinLIGHT Classic 24VAC/DC GN
634.220.55	TwinFLASH Classic 24VDC GN
634.230.75	TwinLIGHT Design 24VAC/DC GN
634.240.55	TwinFLASH Design 24VDC GN
634.310.75	TwinLIGHT Classic 24VAC/DC YE
634.320.55	TwinFLASH Classic 24VDC YE
634.330.75	TwinLIGHT Design 24VAC/DC YE
634.340.55	TwinFLASH Design 24VDC YE
634.430.75	TwinLIGHT 24VAC/DC WH
634.440.55	TwinFLASH 24VDC WH
634.450.55	LED Perm. light element 24VDC MC
634.510.75	TwinLIGHT Classic 24VAC/DC BU
634.520.55	TwinFLASH Classic 24VDC BU
634.530.75	TwinLIGHT Design 24VAC/DC BU
634.540.55	TwinFLASH Design 24VDC BU
635.700.75	Siren element contin/pulse 24VAC/DC GY
635.710.75	Siren element 8 tone 24VAC/DC GY
635.720.75	Siren element 4 tone 24VAC/DC GY
635.800.75	Siren element contin/pulse 24VAC/DC BK
635.810.75	Siren element 8 tone 24VAC/DC BK
635.820.75	Siren element 4 tone 24VAC/DC BK
639.020.01	KS40 Connection Set WM 24V BK
639.020.02	KS40 Connection Set IO-Link WM 24VDC BK
639.300.01	KS40 Classic BWM 24VAC/DC GN/YE/RD
639.301.01	KS40 Design BWM 24VAC/DC GN/YE/RD

640.000.02	Terminal element w. plug KS71/72
640.800.00	Terminal element BWM 12-230VAC/DC BK
640.810.00	Terminal element RM 12-230VAC/DC BK
640.820.00	Terminal element screwable BWM
640.830.00	Terminal element Screwable conn. RM
640.840.00	USB-Terminal element RM 5VDC BK
640.870.00	Terminal element M12 5-Pole BK
640.880.00	Terminal element M12 8-Pole BK
640.900.00	Terminal element BWM 12-230VAC/DC GY
640.910.00	Terminal element RM 12-230VAC/DC GY
640.970.00	Terminal element M12 5-Pole GY
640.980.00	Terminal element M12 8-Pole GY
641.100.00	Perm. light element 12-230VAC/DC RD
641.200.00	Perm. light element 12-230VAC/DC GN
641.300.00	Perm. light element 12-230VAC/DC YE
641.400.00	Perm. light element 12-230VAC/DC CL
641.500.00	Perm. light element 12-230VAC/DC BU
643.100.54	Flashing light element 12VDC RD
643.100.55	Flashing light element 24VDC RD
643.100.67	Flashing light element 115VAC RD
643.100.68	Flashing light element 230VAC RD
643.110.55	Flashing light element AS-i 24VDC RD
643.200.54	Flashing light element 12VDC GN
643.200.55	Flashing light element 24VDC GN
643.200.67	Flashing light element 115VAC GN
643.200.68	Flashing light element 230VAC GN
643.210.55	Flashing light element AS-i 24VDC GN
643.300.54	Flashing light element 12VDC YE
643.300.55	Flashing light element 24VDC YE
643.300.67	Flashing light element 115VAC YE
643.300.68	Flashing light element 230VAC YE
643.310.55	Flashing light element AS-i 24VDC YE
643.400.54	Flashing light element 12VDC CL
643.400.55	Flashing light element 24VDC CL
643.400.67	Flashing light element 115VAC CL
643.400.68	Flashing light element 230VAC CL
643.410.55	Flashing light element AS-i 24VDC CL
643.500.54	Flashing light element 12VDC BU
643.500.55	Flashing light element 24VDC BU
643.500.67	Flashing light element 115VAC BU
643.500.68	Flashing light element 230VAC BU
643.510.55	Flashing light element AS-i 24VDC BU
644.100.54	LED Perm. light element 12VDC RD
644.100.67	LED Perm. light element 115VAC RD
644.100.68	LED Perm. light element 230VAC RD
644.100.75	LED Perm. light element 24VAC/DC RD
644.110.67	LED Blinking light element 115VAC RD
644.110.68	LED Blinking light element 230VAC RD

644.110.75	LED Blinking light element 24VAC/DC RD
644.120.55	LED Double Flash el. 24VDC RD
644.130.75	LED Rotating light el. 24VAC/DC RD
644.140.55	LED EVS element 24VDC RD
644.160.55	LED-Flashing light element 24VDC RD
644.180.55	LED Perm. light ultrabright 24VDC RD
644.200.54	LED Perm. light element 12VDC GN
644.200.67	LED Perm. light element 115VAC GN
644.200.68	LED Perm. light element 230VAC GN
644.200.75	LED Perm. light element 24VAC/DC GN
644.210.67	LED Blinking light element 115VAC GN
644.210.68	LED Blinking light element 230VAC GN
644.210.75	LED Blinking light element 24VAC/DC GN
644.220.55	LED Double Flash el. 24VDC GN
644.230.75	LED Rotating light el. 24VAC/DC GN
644.240.55	LED EVS element 24VDC GN
644.260.55	LED-Flashing light element 24VDC GN
644.280.55	LED Perm. light ultrabright 24VDC GN
644.300.54	LED Perm. light element 12VDC YE
644.300.67	LED Perm. light element 115VAC YE
644.300.68	LED Perm. light element 230VAC YE
644.300.75	LED Perm. light element 24VAC/DC YE
644.310.67	LED Blinking light element 115VAC YE
644.310.68	LED Blinking light element 230VAC YE
644.310.75	LED Blinking light element 24VAC/DC YE
644.320.55	LED Double Flash el. 24VDC YE
644.330.75	LED Rotating light el. 24VAC/DC YE
644.340.55	LED EVS element 24VDC YE
644.360.55	LED-Flashing light element 24VDC YE
644.380.55	LED Perm. light ultrabright 24VDC YE
644.400.54	LED Perm. light element 12VDC WH
644.400.67	LED Perm. light element 115VAC CL
644.400.68	LED Perm. light element 230VAC CL
644.400.75	LED Perm. light element 24VAC/DC CL
644.410.67	LED Blinking light element 115VAC CL
644.410.68	LED Blinking light element 230VAC CL
644.410.75	LED Blinking light element 24VAC/DC CL
644.420.55	LED Double Flash el. 24VDC CL
644.430.75	LED Rotating light el. 24VAC/DC CL
644.440.55	LED EVS element 24VDC CL
644.450.55	LED Perm. light multicolour 24VDC MC
644.460.55	LED-Flashing light element 24VDC CL
644.480.55	LED Perm. light ultrabright 24VDC CL
644.500.54	LED Perm. light element 12VDC BU
644.500.67	LED Perm. light element 115VAC BU
644.500.68	LED Perm. light element 230VAC BU
644.500.75	LED Perm. light element 24VAC/DC BU
644.510.67	LED Blinking light element 115VAC BU

644.510.68	LED Blinking light element 230VAC BU
644.510.75	LED Blinking light element 24VAC/DC BU
644.520.55	LED Double Flash el. 24VDC BU
644.530.75	LED Rotating light el. 24VAC/DC BU
644.540.55	LED EVS element 24VDC BU
644.560.55	LED-Flashing light element 24VDC BU
644.580.55	LED Perm. light ultrabright 24VDC BU
645.770.75	Siren element contin/altern. 24VAC/DC GY
645.790.60	Siren element 8 tne 115-230VAC GY
645.790.75	Siren element 8 tne 24VAC/DC GY
645.800.68	Buzzer element contin/pulse 230VAC BK
645.800.75	Buzzer element contin/pulse 24VAC/DC BK
645.800.77	Buzzer element contin/pulse 115VAC BK
645.810.55	Siren self-adjusting Pulse tone 24VDC BK
645.840.55	Vocal element 24VDC BK
645.850.55	Siren element 7 tone 24VDC BK
645.860.55	Vocal element 24VDC BK
645.870.67	Siren element contin/altern. 115VAC BK
645.870.68	Siren element contin/altern. 230VAC BK
645.870.75	Siren element contin/altern. 24VAC/DC BK
645.890.60	Siren element 8 tne 115-230VAC BK
645.890.75	Siren element 8 tne 24VAC/DC BK
646.440.55	Element IO-Link KS71/72 24VDC CL
646.810.55	AS-Interface Module BK
646.830.55	AS-Interface Module BK
646.840.55	Element IO-Link KS71/72 24VDC BK
647.110.75	TwinLIGHT Classic 24VAC/DC RD
647.120.55	TwinFLASH Classic 24VDC RD
647.130.75	TwinLIGHT Design 24VAC/DC RD
647.140.55	TwinFLASH Design 24VDC RD
647.210.75	TwinLIGHT Classic 24VAC/DC GN
647.220.55	TwinFLASH Classic 24VDC GN
647.230.75	TwinLIGHT Design 24VAC/DC GN
647.240.55	TwinFLASH Design 24VDC GN
647.310.75	TwinLIGHT Classic 24VAC/DC YE
647.320.55	TwinFLASH Classic 24VDC YE
647.330.75	TwinLIGHT Design 24VAC/DC YE
647.340.55	TwinFLASH Design 24VDC YE
647.430.75	TwinLIGHT 24VAC/DC CL
647.440.55	TwinFLASH 24VDC CL
647.510.75	TwinLIGHT Classic 24VAC/DC BU
647.520.55	TwinFLASH Classic 24VDC BU
647.530.75	TwinLIGHT Design 24VAC/DC BU
647.540.55	TwinFLASH Design 24VDC BU
649.000.01	KS72 Classic BWM 24VAC/DC GN/YE/RD
649.000.02	KS72 Classic RM 24VAC/DC GN/YE/RD
649.000.03	AndonLIGHT KS72 GN/YE/RD
649.000.05	KS72 Classic USB RM 5V GN/YE/RD

649.000.12	AndonWirelessSET Basic 2-Button 868MHz
649.000.13	AndonWirelessSET Basic 5-Button 868MHz
649.001.01	KS72 Design BWM 24VAC/DC GN/YE/RD
649.001.02	KS72 Design BM 24VAC/DC GN/YE/RD
649.240.01	Signal tower KS71 BWM 115VAC GN/YE/RD
649.240.02	Signal tower KS71 BWM 24VAC/DC GN/YE/RD
649.240.03	Signal tower KS71 BWM 115VAC GN/RD
649.240.04	Signal tower KS71 BWM 24VAC/DC GN/RD
649.240.05	Signal tower KS71 RM 24VAC/DC GN/YE/RD
649.240.06	Signal tower KS71 RM 24VAC/DC GN/RD
649.260.01	AndonLIGHT KS71 GN/YE/RD
657.000.55	eSIGN 9 Segments BK
657.010.55	eSIGN IO-Link 9 Segments BK
657.100.55	eSIGN 9 Segments with Siren BK
657.110.55	eSIGN IO-Link 9 Segments with Siren BK
657.200.55	eSIGN 9 Segments WH
657.210.55	eSIGN IO-Link 9 Segments WH
657.300.55	eSIGN 9 Segments with Siren WH
657.310.55	eSIGN IO-Link 9 Segments with Siren WH
657.420.55	eSIGN 6 Segments BK
657.430.55	eSIGN 6 Segments with Sirene BK
657.440.55	eSIGN IO-Link 6 Segments BK
657.450.55	eSIGN IO-Link 6 Segments with Sirene BK
657.500.55	eSIGN 15 Segments BK
657.510.55	eSIGN IO-Link 15 Segments BK
657.600.55	eSIGN 15 Segments with Siren BK
657.610.55	eSIGN IO-Link 15 Segments with Siren BK
657.700.55	eSIGN 15 Segments WH
657.710.55	eSIGN IO-Link 15 Segments WH
657.800.55	eSIGN 15 Segments with Siren WH
657.810.55	eSIGN IO-Link 15 Segments with Siren WH
657.920.55	eSIGN 6 Segments WH
657.930.55	eSIGN 6 Segments with Sirene WH
657.940.55	eSIGN IO-Link 6 Segments WH
657.950.55	eSIGN IO-Link 6 Segments with Sirene WH
686.260.05	RST56 GN/RD 24V
686.260.35	RST56 GN/RD/Buzzer 24V
686.263.05	RST56 Built-In 24V GN/RD
686.263.15	RST56 Built-In 24V GN/RD/Buzzer
686.370.05	RST56 GN/YE/RD 24V
686.370.35	RST56 GN/YE/RD/Buzzer 24V
686.371.05	RST56 GN/YE/RD/Feet 24V
686.371.35	RST56 GN/YE/RD/Feet/Buzzer 24V
686.373.05	RST56 Built-In 24V GN/YE/RD
686.373.15	RST56 Built-In 24V GN/YE/RD/Buzzer
686.480.05	RST56 BU/GN/YE/RD 24V
686.480.35	RST56 BU/GN/YE/RD/Buzzer 24V
686.483.05	RST56 Built-In 24V BU/GN/YE/RD

686.483.15	RST56 Built-In 24V BU/GN/YE/RD/Buzzer
686.590.05	RST56 WH/BU/GN/YE/RD 24V
686.590.35	RST56 WH/BU/GN/YE/RD/Buzzer 24V
686.593.05	RST56 Built-In 24V WH/BU/GN/YE/RD
686.593.15	RST56 Built-In 24V WH/BU/GN/YE/RD/Buzzer
690.000.55	VarioSIGN 2S BM Contin. tone 24VDC MC
690.010.55	VarioSIGN 1S BM Contin. tone 24VDC MC
690.200.55	VarioSIGN 2S BM Contin. tone 24VDC GN/YE
690.210.55	VarioSIGN 1S BM Contin. tone 24VDC GN/YE
690.220.55	VarioSIGN 2S BM 24VDC GN/YE/RD
690.230.55	VarioSIGN 1S BM 24VDC GN/YE/RD
690.300.55	VarioSIGN 2S Cont. tone 24VDC GN/YE/RD
690.310.55	VarioSIGN 1S BM Contin. tone 24VDC GN/YE
690.320.55	VarioSIGN 2S BM 24VDC GN/YE/RD
690.330.55	VarioSIGN 1S BM 24VDC GN/YE/RD
691.100.55	FlatSIGN cl WM 24VAC/DC GN/YE/RD
691.100.68	FlatSIGN cl WM 115-230VAC GN/YE/RD
691.110.55	FlatSIGN cl WM 24VAC/DC CL/GN/RD
691.200.55	FlatSIGN cl WM 8 tone 24VAC/DC GN/YE/RD
691.200.68	FlatSIGN Cont. tone 115-230VAC GN/YE/RD
691.300.55	FlatSIGN sr WM 24VAC/DC GN/YE/RD
691.300.68	FlatSIGN sr WM 115-230VAC GN/YE/RD
691.400.55	FlatSIGN sr WM 8 tone 24VAC/DC GN/YE/RD
691.400.68	FlatSIGN Cont. tone 115-230VAC GN/YE/RD
694.000.55	Signal tower deSIGN42 EM 24VDC GN/YE/RD
694.010.55	Signal tower deSIGN42 EM 24VDC GN/RD
694.020.55	Signal tower deSIGN42 EM 24VDC YE/RD
695.000.55	CleanSIGN WM Contin. tone 24VDC MC
695.010.55	CleanSIGN BM Contin. tone 24VDC MC
695.200.55	CleanSIGN WM Contin. tone 24VDC MC
695.210.55	CleanSIGN BM Contin. tone 24VDC MC
695.300.55	CleanSIGN WM Contin. tone 24VDC GN/YE/RD
695.310.55	CleanSIGN BM Contin. tone 24VDC GN/YE/RD
698.110.74	K37 cable EM 12VAC/DC GN/YE/RD
698.110.75	K37 cable EM 24VAC/DC GN/YE/RD
698.120.74	K37 cable EM 12VAC/DC GN/RD
698.120.75	K37 cable EM 24VAC/DC GN/RD
698.130.74	K37 cable EM 12VAC/DC YE/RD
698.130.75	K37 cable EM 24VAC/DC YE/RD
698.140.75	K37 cable EM 24VAC/DC WH/GN/YE/RD
698.150.75	K37 cable EM 24VAC/DC BU/GN/YE/RD
698.160.75	K37 cable EM 24VAC/DC BU/WH/GN/YE/RD
698.210.74	K37 plug EM 12VAC/DC GN/YE/RD
698.210.75	K37 plug EM 24VAC/DC GN/YE/RD
698.220.74	K37 plug EM 12VAC/DC GN/RD
698.220.75	K37 plug EM 24VAC/DC GN/RD
698.230.74	K37 plug EM 12VAC/DC YE/RD
698.230.75	K37 plug EM 24VAC/DC YE/RD

698.240.75	K37 plug EM 24VAC/DC WH/GN/YE/RD
698.250.75	K37 plug EM 24VAC/DC BU/GN/YE/RD
698.260.75	K37 plug EM 24VAC/DC BU/WH/GN/YE/RD
698.310.74	K37cl sr cable EM 12VAC/DC GN/YE/RD
698.310.75	K37cl sr cable EM 24VAC/DC GN/YE/RD
698.320.74	K37cl sr cable EM 12VAC/DC GN/RD
698.320.75	K37cl sr cable EM 24VAC/DC GN/RD
698.330.74	K37cl sr cable EM 12VAC/DC YE/RD
698.330.75	K37cl sr cable EM 24VAC/DC YE/RD
698.340.75	K37cl sr cable EM 24VAC/DC WH/GN/YE/RD
698.350.75	K37cl sr cable EM 24VAC/DC BU/GN/YE/RD
698.360.75	K37cl sr cable EM 24VAC/DC BU/WH/GN/YE/R
698.410.74	K37cl sr plug EM 12VAC/DC GN/YE/RD
698.410.75	K37cl sr plug EM 24VAC/DC GN/YE/RD
698.420.74	K37cl sr plug EM 12VAC/DC GN/RD
698.420.75	K37cl sr plug EM 24VAC/DC GN/RD
698.430.74	K37cl sr plug EM 12VAC/DC YE/RD
698.430.75	K37cl sr plug EM 24VAC/DC YE/RD
698.440.75	K37cl sr plug EM 24VAC/DC WH/GN/YE/RD
698.450.75	K37cl sr plug EM 24VAC/DC BU/GN/YE/RD
698.460.75	K37cl sr plug EM 24VAC/DC BU/WH/GN/YE/RD
699.110.74	K37 cable EM Pulse tone 12VAC/DC GN/YE/R
699.110.75	K37 cable EM Pulse tone 24VAC/DC GN/YE/R
699.120.74	K37 cable EM Pulse tone 12VAC/DC GN/RD
699.120.75	K37 cable EM Pulse tone 24VAC/DC GN/RD
699.130.74	K37 cable EM Pulse tone 12VAC/DC YE/RD
699.130.75	K37 cable EM Pulse tone 24VAC/DC YE/RD
699.140.75	K37 cable EM Pulse tone 24VAC/DC WH/GN/Y
699.150.75	K37 cable EM Pulse tone 24VAC/DC BU/GN/Y
699.160.75	K37 cable EM Pulse tone 24VAC/DC BU/WH/G
699.210.74	K37 plug EM Pulse tone 12VAC/DC GN/YE/RD
699.210.75	K37 plug EM Pulse tone 24VAC/DC GN/YE/RD
699.220.74	K37 plug EM Pulse tone 12VAC/DC GN/RD
699.220.75	K37 plug EM Pulse tone 24VAC/DC GN/RD
699.230.74	K37 plug EM Pulse tone 12VAC/DC YE/RD
699.230.75	K37 plug EM Pulse tone 24VAC/DC YE/RD
699.240.75	K37 plug EM Pulse tone 24VAC/DC WH/GN/YE
699.250.75	K37 plug EM Pulse tone 24VAC/DC BU/GN/YE
699.260.75	K37 plug EM Pulse tone 24VAC/DC BU/WH/GN
699.310.74	K37cl sr cable EM Pulse tone 12VAC/DC GN
699.310.75	K37cl sr cable EM Pulse tone 24VAC/DC GN
699.320.74	K37cl sr cable EM Pulse tone 12VAC/DC GN
699.320.75	K37cl sr cable EM Pulse tone 24VAC/DC GN
699.330.74	K37cl sr cable EM Pulse tone 12VAC/DC YE
699.330.75	K37cl sr cable EM Pulse tone 24VAC/DC YE
699.340.75	K37cl sr cable EM Pulse tone 24VAC/DC WH
699.350.75	K37cl sr cable EM Pulse tone 24VAC/DC BU
699.360.75	K37cl sr cable EM Pulse tone 24VAC/DC BU

699.410.74	K37cl sr plug EM Pulse tone 12VAC/DC GN/
699.410.75	K37cl sr plug EM Pulse tone 24VAC/DC GN/
699.420.74	K37cl sr plug EM Pulse tone 12VAC/DC GN/
699.420.75	K37cl sr plug EM Pulse tone 24VAC/DC GN/
699.430.74	K37cl sr plug EM Pulse tone 12VAC/DC YE/
699.430.75	K37cl sr plug EM Pulse tone 24VAC/DC YE/
699.440.75	K37cl sr plug EM Pulse tone 24VAC/DC WH/
699.450.75	K37cl sr plug EM Pulse tone 24VAC/DC BU/
699.460.75	K37cl sr plug EM Pulse tone 24VAC/DC BU/
699.610.75	K37 plug EM Pulse tone 24VAC/DC RD
699.630.75	K37 plug EM Pulse tone 24VAC/DC YE
699.810.75	K37cl sr plug EM Pulse tone 24VAC/DC RD
699.830.75	K37cl sr plug EM Pulse tone 24VAC/DC YE
800.100.00	Permanent Beacon EM 12-230VAC/DC RD
800.200.00	Permanent Beacon EM 12-230VAC/DC GN
800.300.00	Permanent Beacon EM 12-230VAC/DC YE
800.400.00	Permanent Beacon EM 12-230VAC/DC CL
800.500.00	Permanent Beacon EM 12-230VAC/DC BU
801.100.67	LED Perm. Beacon EM 115VAC RD
801.100.68	LED Perm. Beacon EM 230VAC RD
801.100.75	LED Perm. Beacon EM 24VAC/DC RD
801.200.67	LED Perm. Beacon EM 115VAC GN
801.200.68	LED Perm. Beacon EM 230VAC GN
801.200.75	LED Perm. Beacon EM 24VAC/DC GN
801.300.67	LED Perm. Beacon EM 115VAC YE
801.300.68	LED Perm. Beacon EM 230VAC YE
801.300.75	LED Perm. Beacon EM 24VAC/DC YE
801.400.67	LED Perm. Beacon EM 115VAC CL
801.400.68	LED Perm. Beacon EM 230VAC CL
801.400.75	LED Perm. Beacon EM 24VAC/DC CL
801.500.67	LED Perm. Beacon EM 115VAC BU
801.500.68	LED Perm. Beacon EM 230VAC BU
801.500.75	LED Perm. Beacon EM 24VAC/DC BU
802.100.55	Flashing Beacon EM 24VDC RD
802.100.67	Flashing Beacon EM 115VAC RD
802.100.68	Flashing Beacon EM 230VAC RD
802.200.55	Flashing Beacon EM 24VDC GN
802.200.68	Flashing Beacon EM 230VAC GN
802.300.55	Flashing Beacon EM 24VDC YE
802.300.67	Flashing Beacon EM 115VAC YE
802.300.68	Flashing Beacon EM 230VAC YE
802.400.68	Flashing Beacon EM 230VAC CL
802.500.55	Flashing Beacon EM 24VDC BU
806.350.55	Monit. LED Beacon BWM 24VDC YE
806.450.55	Monit. LED Beacon BWM 24VDC CL
815.100.00	Permanent Beacon EM 12-230VAC/DC RD
815.200.00	Permanent Beacon EM 12-230VAC/DC GN
815.300.00	Permanent Beacon EM 12-230VAC/DC YE

815.400.00	Permanent Beacon EM 12-230VAC/DC CL
815.500.00	Permanent Beacon EM 12-230VAC/DC BU
816.100.55	LED Perm. Beacon EM 24VAC/DC RD
816.100.67	LED Perm. Beacon EM 115VAC RD
816.100.68	LED Perm. Beacon EM 230VAC RD
816.110.55	LED Blinking Beacon EM 24VAC/DC RD
816.130.55	LED Rotat. Beacon EM 24VAC/DC RD
816.200.55	LED Perm. Beacon EM 24VAC/DC GN
816.200.67	LED Perm. Beacon EM 115VAC GN
816.200.68	LED Perm. Beacon EM 230VAC GN
816.210.55	LED Blinking Beacon EM 24VAC/DC GN
816.230.55	LED Rotat. Beacon EM 24VAC/DC GN
816.300.55	LED Perm. Beacon EM 24VAC/DC YE
816.300.67	LED Perm. Beacon EM 115VAC YE
816.300.68	LED Perm. Beacon EM 230VAC YE
816.310.55	LED Blinking Beacon EM 24VAC/DC YE
816.330.55	LED Rotat. Beacon EM 24VAC/DC YE
816.400.55	LED Perm. Beacon EM 24VAC/DC CL
816.400.67	LED Perm. Beacon EM 115VAC CL
816.400.68	LED Perm. Beacon EM 230VAC CL
816.410.55	LED Blinking Beacon EM 24VAC/DC CL
816.430.55	LED Rotat. Beacon EM 24VAC/DC CL
816.480.53	LED Beacon USB EM 5VDC MC
816.480.55	LED Perm. Beacon EM 24VDC MC
816.500.55	LED Perm. Beacon EM 24VAC/DC BU
816.500.67	LED Perm. Beacon EM 115VAC BU
816.500.68	LED Perm. Beacon EM 230VAC BU
816.510.55	LED Blinking Beacon EM 24VAC/DC BU
816.530.55	LED Rotat. Beacon EM 24VAC/DC BU
816.780.55	LED Perm. Beacon EM 24VDC MC
817.100.54	Flashing Beacon EM 12VDC RD
817.100.55	Flashing Beacon EM 24VDC RD
817.100.67	Flashing Beacon EM 115VAC RD
817.100.68	Flashing Beacon EM 230VAC RD
817.200.54	Flashing Beacon EM 12VDC GN
817.200.55	Flashing Beacon EM 24VDC GN
817.200.67	Flashing Beacon EM 115VAC GN
817.200.68	Flashing Beacon EM 230VAC GN
817.300.54	Flashing Beacon EM 12VDC YE
817.300.55	Flashing Beacon EM 24VDC YE
817.300.67	Flashing Beacon EM 115VAC YE
817.300.68	Flashing Beacon EM 230VAC YE
817.400.54	Flashing Beacon EM 12VDC CL
817.400.55	Flashing Beacon EM 24VDC CL
817.400.67	Flashing Beacon EM 115VAC CL
817.400.68	Flashing Beacon EM 230VAC CL
817.500.54	Flashing Beacon EM 12VDC BU
817.500.55	Flashing Beacon EM 24VDC BU

817.500.67	Flashing Beacon EM 115VAC BU
817.500.68	Flashing Beacon EM 230VAC BU
826.100.00	Permanent Beacon BM 12-230VAC/DC RD
826.110.00	Permanent Beacon RM 12-230VAC/DC RD
826.110.55	Monitored Perm. Beacon BM 24VDC RD
826.200.00	Permanent Beacon BM 12-230VAC/DC GN
826.210.00	Permanent Beacon RM 12-230VAC/DC GN
826.300.00	Permanent Beacon BM 12-230VAC/DC YE
826.310.00	Permanent Beacon RM 12-230VAC/DC YE
826.310.55	Monitored Perm. Beacon BM 24VDC YE
826.320.55	Monitored Perm. Beacon RM 24VDC YE
826.400.00	Permanent Beacon BM 12-230VAC/DC CL
826.410.00	Permanent Beacon RM 12-230VAC/DC CL
826.410.55	Monitored Perm. Beacon BM 24VDC CL
826.500.00	Permanent Beacon BM 12-230VAC/DC BU
826.510.00	Permanent Beacon RM 12-230VAC/DC BU
829.170.55	Monitored LED Perm. Beacon BM 24VDC RD
829.270.55	Monitored LED Perm. Beacon BM 24VDC GN
829.370.55	Monitored LED Perm. Beacon BM 24VDC YE
829.470.55	Monitored LED Perm. Beacon BM 24VDC CL
839.100.55	LED Perm. Beacon BM 12-50VDC RD
839.100.68	LED Perm. Beacon BM 230VAC RD
839.120.55	LED Rotating Beacon BM 24VDC RD
839.120.68	LED Rotating Beacon BM 115-230VAC RD
839.152.55	Double Flash Beacon BM 24VDC RD
839.152.67	Double Flash Beacon BM 115VAC RD
839.152.68	Double Flash Beacon BM 230VAC RD
839.300.55	LED Perm. Beacon BM 12-50VDC YE
839.300.68	LED Perm. Beacon BM 230VAC YE
839.320.55	LED Rotating Beacon BM 24VDC YE
839.320.68	LED Rotating Beacon BM 115-230VAC YE
839.352.55	Double Flash Beacon BM 24VDC YE
839.352.67	Double Flash Beacon BM 115VAC YE
839.352.68	Double Flash Beacon BM 230VAC YE
840.080.00	Terminal element RM 12-230VAC/DC BK
840.085.00	Terminal element BWM 12-230VAC/DC BK
840.089.06	Terminal element RM 12-48V BK
840.089.07	Terminal element BM 12-48V BK
840.100.00	Perm. light element 12-230VAC/DC RD
840.200.00	Perm. light element 12-230VAC/DC GN
840.300.00	Perm. light element 12-230VAC/DC YE
840.400.00	Perm. light element 12-230VAC/DC CL
840.500.00	Perm. light element 12-230VAC/DC BU
840.810.55	AS-Interface-Module - A/B technology BK
840.830.55	AS-Interface Module - standard technolog
842.100.54	Flashing light element 12VDC RD
842.100.55	Flashing light element 24VDC RD
842.100.67	Flashing light element 115VAC RD

842.100.68	Flashing light element 230VAC RD
842.110.55	Flashing light element 24VDC RD
842.200.54	Flashing light element 12VDC GN
842.200.55	Flashing light element 24VDC GN
842.200.67	Flashing light element 115VAC GN
842.200.68	Flashing light element 230VAC GN
842.210.55	Flashing light element 24VDC GN
842.300.54	Flashing light element 12VDC YE
842.300.55	Flashing light element 24VDC YE
842.300.67	Flashing light element 115VAC YE
842.300.68	Flashing light element 230VAC YE
842.310.55	Flashing light element 24VDC YE
842.400.54	Flashing light element 12VDC CL
842.400.55	Flashing light element 24VDC CL
842.400.67	Flashing light element 115VAC CL
842.400.68	Flashing light element 230VAC CL
842.410.55	Flashing light element 24VDC CL
842.500.54	Flashing light element 12VDC BU
842.500.55	Flashing light element 24VDC BU
842.500.67	Flashing light element 115VAC BU
842.500.68	Flashing light element 230VAC BU
842.510.55	Flashing light element 24VDC BU
843.100.55	LED Perm. light element 24VAC/DC RD
843.100.67	LED Perm. light element 115VAC RD
843.100.68	LED Perm. light element 230VAC RD
843.110.55	LED Blinking light element 24VAC/DC RD
843.110.67	LED Blinking light element 115VAC RD
843.110.68	LED Blinking light element 230VAC RD
843.120.55	LED Double Flash el. 24VDC RD
843.130.55	LED Rotating light el. 24VAC/DC RD
843.140.55	LED EVS element 24VDC RD
843.160.55	LED-Flashing light element 24VDC RD
843.180.55	LED Perm. light ultrabright 24VDC RD
843.200.55	LED Perm. light element 24VAC/DC GN
843.200.67	LED Perm. light element 115VAC GN
843.200.68	LED Perm. light element 230VAC GN
843.210.55	LED Blinking light element 24VAC/DC GN
843.210.67	LED Blinking light element 115VAC GN
843.210.68	LED Blinking light element 230VAC GN
843.220.55	LED Double Flash el. 24VDC GN
843.230.55	LED Rotating light el. 24VAC/DC GN
843.240.55	LED EVS element 24VDC GN
843.260.55	LED-Flashing light element 24VDC GN
843.280.55	LED Perm. light ultrabright 24VDC GN
843.300.55	LED Perm. light element 24VAC/DC YE
843.300.67	LED Perm. light element 115VAC YE
843.300.68	LED Perm. light element 230VAC YE
843.310.55	LED Blinking light element 24VAC/DC YE

843.310.67	LED Blinking light element 115VAC YE
843.310.68	LED Blinking light element 230VAC YE
843.320.55	LED Double Flash el. 24VDC YE
843.330.55	LED Rotating light el. 24VAC/DC YE
843.340.55	LED EVS element 24VDC YE
843.360.55	LED-Flashing light element 24VDC YE
843.380.55	LED Perm. light ultrabright 24VDC YE
843.400.55	LED Perm. light element 24VAC/DC CL
843.400.67	LED Perm. light element 115VAC CL
843.400.68	LED Perm. light element 230VAC CL
843.410.55	LED Blinking light element 24VAC/DC CL
843.410.67	LED Blinking light element 115VAC CL
843.410.68	LED Blinking light element 230VAC CL
843.420.55	LED Double Flash el. 24VDC CL
843.430.55	LED Rotating light el. 24VAC/DC CL
843.440.55	LED EVS element 24VDC CL
843.450.55	LED Perm. light multicolour 24VDC MC
843.460.55	LED-Flashing light element 24VDC CL
843.480.55	LED Perm. light ultrabright 24VDC CL
843.500.55	LED Perm. light element 24VAC/DC BU
843.500.67	LED Perm. light element 115VAC BU
843.500.68	LED Perm. light element 230VAC BU
843.510.55	LED Blinking light element 24VAC/DC BU
843.510.67	LED Blinking light element 115VAC BU
843.510.68	LED Blinking light element 230VAC BU
843.520.55	LED Double Flash el. 24VDC BU
843.530.55	LED Rotating light el. 24VAC/DC BU
843.540.55	LED EVS element 24VDC BU
843.560.55	LED-Flashing light element 24VDC BU
843.580.55	LED Perm. light ultrabright 24VDC BU
844.118.55	Buzzer element contin/pulse 24VAC/DC BK
844.118.67	Buzzer element contin/pulse 115VAC BK
844.118.68	Buzzer element contin/pulse 230VAC BK
844.123.54	Siren element alternating 12VDC BK
844.123.55	Siren element alternating 24VDC BK
844.126.55	Siren element 8 tne 24VAC/DC BK
844.126.67	Siren element 8 tne 115VAC BK
844.126.68	Siren element 8 tne 230VAC BK
844.126.95	Siren element 7 tne 24VDC BK
844.810.55	Siren self-adjusting 24VDC BK
844.840.55	Vocal element 24VDC BK
844.860.55	Vocal element 24VDC BK
845.000.00	Terminal element 12-230VAC/DC BK
845.010.00	Terminal element Cage Clamp 12-230VAC/DC
845.800.68	AS-Interface Module BK
846.100.00	Perm. light element 12-230VAC/DC RD
846.200.00	Perm. light element 12-230VAC/DC GN
846.300.00	Perm. light element 12-230VAC/DC YE

846.400.00	Perm. light element 12-230VAC/DC CL
846.500.00	Perm. light element 12-230VAC/DC BU
848.100.55	LED Perm. light element 24VAC/DC RD
848.100.67	LED Perm. light element 115VAC RD
848.100.68	LED Perm. light element 230VAC RD
848.110.67	LED Blinking light element 115VAC RD
848.110.68	LED Blinking light element 230VAC RD
848.110.75	LED Blinking light element 24VAC/DC RD
848.120.55	LED Flashing light el. 24VDC RD
848.200.55	LED Perm. light element 24VAC/DC GN
848.200.67	LED Perm. light element 115VAC GN
848.200.68	LED Perm. light element 230VAC GN
848.210.67	LED Blinking light element 115VAC GN
848.210.68	LED Blinking light element 230VAC GN
848.210.75	LED Blinking light element 24VAC/DC GN
848.220.55	LED Flashing light el. 24VDC GN
848.300.55	LED Perm. light element 24VAC/DC YE
848.300.67	LED Perm. light element 115VAC YE
848.300.68	LED Perm. light element 230VAC YE
848.310.67	LED Blinking light element 115VAC YE
848.310.68	LED Blinking light element 230VAC YE
848.310.75	LED Blinking light element 24VAC/DC YE
848.320.55	LED Flashing light el. 24VDC YE
848.400.55	LED Perm. light element 24VAC/DC CL
848.400.67	LED Perm. light element 115VAC CL
848.400.68	LED Perm. light element 230VAC CL
848.410.67	LED Blinking light element 115VAC CL
848.410.68	LED Blinking light element 230VAC CL
848.410.75	LED Blinking light element 24VAC/DC CL
848.420.55	LED Flashing light el. 24VDC CL
848.500.55	LED Perm. light element 24VAC/DC BU
848.500.67	LED Perm. light element 115VAC BU
848.500.68	LED Perm. light element 230VAC BU
848.510.67	LED Blinking light element 115VAC BU
848.510.68	LED Blinking light element 230VAC BU
848.510.75	LED Blinking light element 24VAC/DC BU
848.520.55	LED Flashing light el. 24VDC BU
848.600.55	LED Perm. light element 24VAC/DC LYE
849.000.68	Buzzer element contin/pulse 230VAC BK
849.000.75	Buzzer element contin/pulse 24VAC/DC BK
849.000.77	Buzzer element contin/pulse 115VAC BK
853.100.54	LED Perm. Beacon BWM 12VDC RD
853.100.55	LED Perm. Beacon BWM 24VDC RD
853.100.60	LED Perm. Beacon BWM 115-230VAC RD
853.100.66	LED Perm. Beacon BWM 48VAC RD
853.110.54	LED Double Flash Beacon BWM 12VDC RD
853.110.55	LED Double Flash Beacon BWM 24VDC RD
853.110.60	LED Double Flash Beacon BWM 115-230VAC R

853.110.66	LED Double Flash Beacon BWM 48VAC RD
853.120.54	LED EVS Beacon BWM 12VDC RD
853.120.55	LED EVS Beacon BWM 24VDC RD
853.120.60	LED EVS Beacon BWM 115-230VAC RD
853.120.66	LED EVS Beacon BWM 48VAC RD
853.200.54	LED Perm. Beacon BWM 12VDC GN
853.200.55	LED Perm. Beacon BWM 24VDC GN
853.200.60	LED Perm. Beacon BWM 115-230VAC GN
853.200.66	LED Perm. Beacon BWM 48VAC GN
853.210.54	LED Double Flash Beacon BWM 12VDC GN
853.210.55	LED Double Flash Beacon BWM 24VDC GN
853.210.60	LED Double Flash Beacon BWM 115-230VAC G
853.210.66	LED Double Flash Beacon BWM 48VAC GN
853.220.54	LED EVS Beacon BWM 12VDC GN
853.220.55	LED EVS Beacon BWM 24VDC GN
853.220.60	LED EVS Beacon BWM 115-230VAC GN
853.220.66	LED EVS Beacon BWM 48VAC GN
853.300.54	LED Perm. Beacon BWM 12VDC YE
853.300.55	LED Perm. Beacon BWM 24VDC YE
853.300.60	LED Perm. Beacon BWM 115-230VAC YE
853.300.66	LED Perm. Beacon BWM 48VAC YE
853.310.54	LED Double Flash Beacon BWM 12VDC YE
853.310.55	LED Double Flash Beacon BWM 24VDC YE
853.310.60	LED Double Flash Beacon BWM 115-230VAC Y
853.310.66	LED Double Flash Beacon BWM 48VAC YE
853.320.54	LED EVS Beacon BWM 12VDC YE
853.320.55	LED EVS Beacon BWM 24VDC YE
853.320.60	LED EVS Beacon BWM 115-230VAC YE
853.320.66	LED EVS Beacon BWM 48VAC YE
853.400.54	LED Perm. Beacon BWM 12VDC CL
853.400.55	LED Perm. Beacon BWM 24VDC CL
853.400.60	LED Perm. Beacon BWM 115-230VAC CL
853.400.66	LED Perm. Beacon BWM 48VAC CL
853.410.54	LED Double Flash Beacon BWM 12VDC CL
853.410.55	LED Double Flash Beacon BWM 24VDC CL
853.410.60	LED Double Flash Beacon BWM 115-230VAC C
853.410.66	LED Double Flash Beacon BWM 48VAC CL
853.420.54	LED EVS Beacon BWM 12VDC CL
853.420.55	LED EVS Beacon BWM 24VDC CL
853.420.60	LED EVS Beacon BWM 115-230VAC CL
853.420.66	LED EVS Beacon BWM 48VAC CL
853.480.55	LED Perm. Beacon BWM 24VDC MC
853.480.60	LED Perm. Beacon BWM 115-230VAC MC
853.500.54	LED Perm. Beacon BWM 12VDC BU
853.500.55	LED Perm. Beacon BWM 24VDC BU
853.500.60	LED Perm. Beacon BWM 115-230VAC BU
853.500.66	LED Perm. Beacon BWM 48VAC BU
853.510.54	LED Double Flash Beacon BWM 12VDC BU

853.510.55	LED Double Flash Beacon BWM 24VDC BU
853.510.60	LED Double Flash Beacon BWM 115-230VAC B
853.510.66	LED Double Flash Beacon BWM 48VAC BU
853.520.54	LED EVS Beacon BWM 12VDC BU
853.520.55	LED EVS Beacon BWM 24VDC BU
853.520.60	LED EVS Beacon BWM 115-230VAC BU
853.520.66	LED EVS Beacon BWM 48VAC BU
860.000.09	Andon SmartBOX BWM 115-230VAC BK
860.000.16	AndonWirelessBOX 2-Button 868 MHz
860.000.17	AndonWirelessBOX 2-Button 921 MHz
860.000.18	AndonWirelessBOX 5-Button 868 MHz
860.000.19	AndonWirelessBOX 5-Button 921 MHz
860.640.07	AndonCONTROL BWM 100-240VAC BK
860.640.08	Connection Set BWM 115-230VAC BK 0+1
860.640.09	Connection Set 115-230VAC BK KS71/72
860.840.07	AndonCONTROL BWM 100-240VAC BK
860.840.08	Connection Set BWM 115-230VAC BK
861.640.01	KombiSIGN 71 reflect 24V BK
861.640.02	KombiSIGN 71 reflect 24V BK
861.840.01	KombiSIGN 70 reflect 24V BK
861.840.02	KombiSIGN 70 reflect 24V BK
862.000.01	WeASSIST Gateway 868 MHz
862.000.02	WeASSIST Gateway 921 MHz
862.000.03	WeAssist/AndonWireless Transceiver868MHz
862.000.05	WeAssist/AndonWireless Transceiver921MHz
862.000.11	WeAssist/AndonWireless Transceiver868MHz
883.130.60	Rotating Mirror Beacon LED 115-230VAC RD
883.130.75	Rotating Mirror Beacon LED 24VAC/DC RD
883.230.60	Rotating Mirror Beacon LED 115-230VAC GN
883.230.75	Rotating Mirror Beacon LED 24VAC/DC GN
883.330.60	Rotating Mirror Beacon LED 115-230VAC YE
883.330.75	Rotating Mirror Beacon LED 24VAC/DC YE
883.530.60	Rotating Mirror Beacon LED 115-230VAC BU
883.530.75	Rotating Mirror Beacon LED 24VAC/DC BU
884.130.60	Rotating Beacon Fresnel 115-230VAC RD
884.130.75	Rotating Beacon Fresnel 24VAC/DC RD
884.230.60	Rotating Beacon Fresnel 115-230VAC GN
884.230.75	Rotating Beacon Fresnel 24VAC/DC GN
884.330.60	Rotating Beacon Fresnel 115-230VAC YE
884.330.75	Rotating Beacon Fresnel 24VAC/DC YE
884.530.60	Rotating Beacon Fresnel 115-230VAC BU
884.530.75	Rotating Beacon Fresnel 24VAC/DC BU
885.130.60	Rotating Mirror Beacon LED 115-230VAC RD
885.130.75	Rotating Mirror Beacon LED 24VAC/DC RD
885.140.60	Rotating Mirror Beacon LED 115-230VAC RD
885.140.75	Rotating Mirror Beacon LED 24VAC/DC RD
885.230.60	Rotating Mirror Beacon LED 115-230VAC GN
885.230.75	Rotating Mirror Beacon LED 24VAC/DC GN

885.240.60	Rotating Mirror Beacon LED 115-230VAC GN
885.240.75	Rotating Mirror Beacon LED 24VAC/DC GN
885.330.60	Rotating Mirror Beacon LED 115-230VAC YE
885.330.75	Rotating Mirror Beacon LED 24VAC/DC YE
885.340.60	Rotating Mirror Beacon LED 115-230VAC YE
885.340.75	Rotating Mirror Beacon LED 24VAC/DC YE
885.530.60	Rotating Mirror Beacon LED 115-230VAC BU
885.530.75	Rotating Mirror Beacon LED 24VAC/DC BU
885.540.60	Rotating Mirror Beacon LED 115-230VAC BU
885.540.75	Rotating Mirror Beacon LED 24VAC/DC BU
890.030.00	Traffic Light 12-230VAC/DC RD/GN
890.030.55	LED Traffic Light 24VDC RD/GN
890.030.68	LED Traffic Light 230VAC RD/GN
890.100.00	Permanent Beacon BWM 12-230VAC/DC RD
890.120.55	LED Perm. Beacon BWM 12-24VDC RD
890.120.68	LED Perm. Beacon BWM 115-230VAC RD
890.200.00	Permanent Beacon BWM 12-230VAC/DC GN
890.220.55	LED Perm. Beacon BWM 12-24VDC GN
890.220.68	LED Perm. Beacon BWM 115-230VAC GN
890.300.00	Permanent Beacon BWM 12-230VAC/DC YE
890.320.55	LED Perm. Beacon BWM 12-24VDC YE
890.320.68	LED Perm. Beacon BWM 115-230VAC YE
890.400.00	Permanent Beacon BWM 12-230VAC/DC CL
890.480.55	LED Perm. Beacon BWM 12-24VDC MC
890.480.68	LED Perm. Beacon BWM 230VAC RD/YE/GN
890.500.00	Permanent Beacon BWM 12-230VAC/DC BU
894.060.55	LED Perm. Beacon WM 24VDC GN/RD
894.060.68	LED Perm. Beacon WM 115-230VAC GN/RD
894.080.55	LED Perm. Beacon WM 24VDC GN/YE/RD
894.080.68	LED Perm. Beacon WM 115-230VAC GN/YE/RD
894.160.55	LED Perm. BeaconCL WM 24VDC GN/RD
894.160.68	LED Perm. BeaconCL WM 115-230VAC GN/RD
894.180.55	LED Perm. BeaconCL WM 24VDC GN/YE/RD
894.180.68	LED Perm. BeaconCL WM 115-230VAC GN/YE/R
895.100.00	Permanent Beacon BWM 12-230VAC/DC RD
895.200.00	Permanent Beacon BWM 12-230VAC/DC GN
895.300.00	Permanent Beacon BWM 12-230VAC/DC YE
895.400.00	Permanent Beacon BWM 12-230VAC/DC CL
895.500.00	Permanent Beacon BWM 12-230VAC/DC BU
896.100.00	Permanent Beacon EM 12-230VAC/DC RD
896.200.00	Permanent Beacon EM 12-230VAC/DC GN
896.300.00	Permanent Beacon EM 12-230VAC/DC YE
896.400.00	Permanent Beacon EM 12-230VAC/DC CL
897.100.55	Double Flash Beacon BWM 24VDC RD
897.100.68	Double Flash Beacon BWM 230VAC RD
897.300.55	Double Flash Beacon BWM 24VDC YE
897.300.68	Double Flash Beacon BWM 230VAC YE
898.130.55	Flashing Beacon EM 24VDC RD

898.230.55	Flashing Beacon EM 24VDC GN
898.330.55	Flashing Beacon EM 24VDC YE
898.530.55	Flashing Beacon EM 24VDC BU
914.052.55	Bell continuous tone 24VDC GY
914.052.68	Bells continuous tone 230VAC GY
914.053.68	Bells continuous tone 230VAC GY
955.000.35	Bulb 7W E14 24V
955.015.34	Bulb 7W BA15D 12V
955.015.35	Bulb 7W BA15D 24V
955.015.36	Bulb 7W BA15D 48V
955.015.37	Bulb 7W BA15D 115V
955.015.38	Bulb 7W BA15D 230V
955.826.35	Bulb 15W BA15D 24V
955.826.37	Bulb 15W BA15D 115V
955.826.38	Bulb 15W BA15D 230V
955.840.32	Bulb 5W BA15D 30V
955.840.34	Bulb 5W BA15D 12V
955.840.35	Bulb 5W BA15D 24V
955.840.37	Bulb 7W BA15D 115V
955.840.38	Bulb 5W BA15D 230V
955.840.57	Bulb 5W BA15D 115V
955.890.38	Bulb 15W E14 230V
956.050.67	LED Bulb 115VAC E27 Ø45x75
956.050.68	LED Bulb E27 230VAC Ø45x75
956.050.75	LED Bulb 24VAC/DC Ø45x80
956.100.67	LED Bulb 115VAC RD
956.100.68	LED Bulb 230VAC RD
956.100.75	LED Bulb 24VAC/DC RD
956.120.67	LED Bulb E27 115VAC RD
956.120.68	LED Bulb E27 230VAC RD
956.120.75	LED Bulb E27 24VAC/DC RD
956.200.67	LED Bulb 115VAC GN
956.200.68	LED Bulb 230VAC GN
956.200.75	LED Bulb 24VAC/DC GN
956.220.67	LED Bulb E27 115VAC GN
956.220.68	LED Bulb E27 230VAC GN
956.220.75	LED Bulb E27 24VAC/DC GN
956.300.67	LED Bulb 115VAC YE
956.300.68	LED Bulb 230VAC YE
956.300.75	LED Bulb 24VAC/DC YE
956.320.67	LED Bulb E27 115VAC YE
956.320.68	LED Bulb E27 230VAC YE
956.320.75	LED Bulb E27 24VAC/DC YE
956.400.67	LED Bulb 115VAC CL
956.400.68	LED Bulb 230VAC CL
956.400.75	LED Bulb 24VAC/DC CL
956.500.67	LED Bulb 115VAC BU
956.500.68	LED Bulb 230VAC BU

956.500.75	LED Bulb 24VAC/DC BU
960.000.01	Bracket for base mounting BK
960.000.02	Bracket for wall mount. BK
960.000.04	Cable gland M16x1,5 BK
960.000.05	Indication board complete
960.000.10	Cap BK
960.000.14	Bracket for base mount. BWM BK
960.000.18	Tube with clamp BK
960.000.19	Plastic tube 250mm M20x1,5 BK
960.000.21	Clamp for tube BK
960.000.25	Adapter for single hole mount. EM SR
960.000.30	Foldable base BK
960.000.31	Tube D25mm 45mm long BK
960.000.32	Cable gland M12x1,5 BK
960.000.35	Rubber seal BK
960.000.39	Rubber seal BK
960.000.41	Fixing bracket WM BK
960.000.46	5m cable with M12 plug + socket
960.000.47	5m cable with M12 socket
960.000.49	Cap GY
960.000.50	Base for tube D25mm, pl. GY
960.000.51	Base w. integrated tube GY
960.000.52	Bracket for 1-sided mount. GY
960.000.53	Bracket for wall mount. GY
960.000.54	Bracket for base mount. GY
960.000.55	Bracket concealed cable entry GY
960.000.64	Base w. integrated tube BK Type 4X
960.000.65	Bracket for 1-sided mount. BK Type 4X
960.000.69	USB cable type C to type A 0.5m
960.000.70	USB cable type C to type A 1.8m
960.000.71	USB cable type C to type A 3,0m
960.009.12	Foldable base BWM BK
960.009.32	Fixing bracket M30
960.630.01	Bracket concealed cable entry WM BK
960.630.02	Bracket assembly on profiling WM BK
960.630.03	Extension tube D40mm 84mm long BK
960.630.04	Cable gland M12x1,5 with nut BK
960.630.05	Bracket concealed cable entry WM GY
960.630.06	Bracket assembly on profiling WM GY
960.630.07	Extension tube D40mm 84mm long GY
960.630.08	Indication board complete BWM
960.630.09	Indication board complete RM
960.649.01	Strain relief for base with integr. tube
960.693.03	Base w. integrated tube BK
960.693.04	Adapter M25/M20 for fixing BK
960.693.05	5m cable with M12 socket BK
960.694.01	Bracket SR
960.698.01	Base w. integrated tube BK

960.698.02	Extension tube D38mm 93mm long BK
960.698.03	Base w. integrated tube SR
960.698.04	Extension tube D38mm 93mm long SR
960.698.05	Fixing bracket BK
960.860.01	5m cable with M12 plug
960.860.02	Power supply incl. adapter 100-240VAC BK
960.860.04	AndonWirelessBOX mount tape
975.109.01	Bracket w. protect. cap BK
975.109.02	Surface housing 1-fold GY
975.109.03	Surface housing 2-fold GY
975.109.04	Surface housing 3-fold GY
975.109.05	Surface housing 4-fold GY
975.118.00	Cap BK
975.200.11	Dome RD
975.200.12	Dome GN
975.200.13	Dome YE
975.200.15	Dome BU
975.209.01	Base w. integrated tube BK
975.209.02	Cable gland M25x1,5 BK
975.210.10	Dome RD
975.210.20	Dome GN
975.210.30	Dome YE
975.210.40	Dome CL
975.210.50	Dome BU
975.420.01	Tube adapter RM BK
975.430.01	Tube adapter RM BK
975.444.01	Cable gland M20x1,5 with nut
975.656.01	Fixing bracket WH
975.691.01	Fixing kit BK
975.812.01	Tube adapter BK
975.812.02	Base for surface mounting BK
975.815.01	Seal
975.815.03	Surface housing 1-fold GY
975.815.07	Surface housing 2-fold GY
975.815.08	Surface housing 3-fold GY
975.815.11	Dome with housing RD
975.815.12	Dome with housing GN
975.815.13	Dome with housing YE
975.815.22	Anti-twist device SR
975.826.03	Wire guard SR
975.826.05	Bracket BK
975.826.11	Dome RD
975.826.12	Dome GN
975.826.13	Dome YE
975.826.14	Dome CL
975.826.15	Dome BU
975.839.02	Bracket BK
975.840.00	Cap BK

975.840.01	Contact box for cable exit at side
975.840.02	Adapter for tube D25mm 1/2 Inch thread
975.840.03	Tube D25mm 1000mm long SR
975.840.04	Contact box w. magnet. Base BK
975.840.10	Base w. integrated tube BK
975.840.25	Tube D25mm 250mm long SR
975.840.40	Tube D25mm 400mm long SR
975.840.49	Info transparency without imprint
975.840.50	Info transparency "0"
975.840.51	Info transparency "1"
975.840.52	Info transparency "2"
975.840.53	Info transparency "3"
975.840.54	Info transparency "4"
975.840.55	Info transparency "5"
975.840.56	Info transparency "6"
975.840.57	Info transparency "7"
975.840.58	Info transparency "8"
975.840.59	Info transparency "9"
975.840.60	Tube D25mm 600mm long SR
975.840.80	Tube D25mm 800mm long SR
975.840.85	Bracket for 1-sided mount. BK
975.840.86	Bracket for 2-sided mount. BK
975.840.90	Base for tube D25mm, pl. BK
975.840.91	Base for tube D25mm, metal BK
975.840.92	Info transparency "10"
975.845.01	Base for surface mounting BM BK
975.845.02	Bracket for KS50 BK
975.845.03	Adapter for single hole mount. SR
975.845.10	Tube D25mm 100mm long SR
975.853.01	Connector BK
975.853.02	Cable gland M20x1,5
975.881.01	Fixing bracket BK
975.883.01	Fixing bracket BK
975.883.06	Bracket BK
975.883.08	Wire guard SR
975.883.09	Tube adapter RM BK
975.883.11	Dome RD
975.883.12	Dome GN
975.883.13	Dome YE
975.883.14	Dome CL
975.883.15	Dome BU
975.883.41	Fixing bracket BK
975.885.11	Dome RD
975.885.12	Dome GN
975.885.13	Dome YE
975.885.15	Dome BU
975.890.01	Protection ring GY
975.890.02	Reflector SR

975.890.10	Housing RD
975.890.25	Connector adapter GY
975.890.33	Fixing bow 1-tier w. accessories GY
975.890.34	Fixing bow 2-tier w. accessories GY
975.890.35	Fixing bow 3-tier w. accessories GY
975.890.36	Tube adapter BK
975.890.37	Fixing bow 4 tier w.accessories GY
975.890.51	Socket
975.890.52	Adhesive sticker Arrow
975.890.53	Adhesive sticker "STOP"
975.890.54	Adhesive sticker "START"
975.890.55	Adhesive sticker "ZUTRITT"
975.890.56	Adhesive sticker "KEIN ZUTRITT"
975.890.57	Adhesive sticker "BETRIEB"
975.890.58	Adhesive sticker "STÖRUNG"
975.890.64	Adhesive sticker Flash
975.890.65	Adhesive sticker hand
975.894.01	Lower fixing bow GY
975.894.02	Tube adapter BK
975.895.10	Dome RD
975.895.20	Dome GN
975.895.30	Dome YE
975.895.40	Dome CL
975.895.50	Dome BU