

WERMA – Artikelnummer

Artikelnummer	Benämning
107.000.60	Installation Buzzer Contin. 115-230VAC
107.000.70	Installation Buzzer Contin. 12/24VAC/DC
107.010.60	Installation Buzzer Pulse 115-230VAC
107.010.70	Installation Buzzer Pulse 12/24VAC/DC
109.000.68	Electr. Buzzer EM Contin. tone 230VAC BK
109.000.75	Electr. Buzzer EM Contin. tone 24VAC/DC
109.000.77	Electr. Buzzer EM Contin. tone 115VAC/DC
109.010.68	Electr. Buzzer EM Pulse tone 230VAC BK
109.010.75	Electr. Buzzer EM Pulse tone 24VAC/DC BK
109.010.77	Electr. Buzzer EM Pulse tone 115VAC/DC B
110.000.67	Multi-t.sounder EM 8 tne 115VAC BK
110.000.68	Multi-t.sounder EM 8 tne 230VAC BK
110.000.75	Multi-t.sounder EM 8 tne 24VAC/DC BK
111.000.55	Electr. Buzzer EM Contin/pulse 24VDC BK
111.000.68	Electr. Buzzer EM Contin/pulse 230VAC BK
114.068.15	Electr. Buzzer EM Contin. tone 24VDC BK
118.000.05	Electr. Buzzer EM Contin. tone 24VAC/DC
118.000.28	Electr. Buzzer EM Contin. tone 230VAC BK
118.068.14	Electr. Buzzer EM Contin. tone 12VDC GY
118.068.15	Electr. Buzzer EM Contin. tone 24VAC/DC
118.068.26	Electr. Buzzer EM Contin. tone 48VAC/DC
118.068.27	Electr. Buzzer EM Contin. tone 115VAC/DC
118.068.28	Electr. Buzzer EM Contin. tone 230VAC GY
118.092.15	Electr. Buzzer EM Contin. tone 24VAC/DC
118.483.14	Electr. Buzzer WM Contin. tone 12VDC GY
118.483.15	Electr. Buzzer WM Contin. tone 24VAC/DC
118.483.28	Electr. Buzzer WM Contin. tone 230VAC GY
119.002.68	Electr. Buzzer EM contin/pulse 230VAC BK
119.003.55	Electr. Buzzer EM 3 tne 24VDC GY
119.004.55	Electr. Buzzer EM 3 tne 24VDC GY
119.010.54	Electr. Buzzer EM contin/pulse 12VDC GY
119.068.15	Electr. Buzzer EM contin/pulse 24VAC/DC
119.068.26	Electr. Buzzer EM contin/pulse 48VAC/DC
119.068.27	Electr. Buzzer EM contin/pulse 115VAC/DC
119.068.28	Electr. Buzzer EM contin/pulse 230VAC GY
119.483.15	Electr. Buzzer WM Contin/pulse 24VAC/DC
119.483.28	Electr. Buzzer WM contin/pulse 230VAC GY
123.100.54	Electr. Siren WM alternating 12VDC BK
123.200.55	Electr. Siren WM alternating 24VDC BK
123.201.94	Electr. Siren WM alternating 12VDC BK
126.052.15	Multi-t.sounder WM 4 tne 12-24VDC GY
129.052.55	Multi-t.sounder WM 31 tne 24VDC RD
129.052.67	Multi-t.sounder WM 31 tne 115VAC RD
129.052.68	Multi-t.sounder WM 31 tne 230VAC RD
139.000.55	Multi-t.sounder WM 32 tne 9-60VDC RD
139.000.68	Multi-t.sounder WM 32 tne 115-230VAC RD
139.100.55	Multi-t.sounder WM 32 tne 9-60VDC GY
139.100.68	Multi-t.sounder WM 32 tne 115-230VAC GY
140.150.50	Multi-t.sounder WM 32 tne 9-28VDC RD
140.150.60	Multi-t.sounder WM 32 tne 115-230VAC RD
140.950.50	Multi-t.sounder WM 32 tne 9-28VDC WH
140.950.60	Multi-t.sounder WM 32 tne 115-230VAC WH
141.000.55	Multi-t.sounder WM 32 tne 9-60VDC RD
141.000.68	Multi-t.sounder WM 32 tne 115-230VAC RD

Artikelnummer	Benämning
141.100.55	Multi-t.sounder WM 32 tne 9-60VDC GY
141.100.68	Multi-t.sounder WM 32 tne 115-230VAC GY
142.000.55	Multi-t.sounder WM 42 tne 18-30VDC RD
142.000.68	Multi-t.sounder WM 42 tne 115-230VAC RD
142.100.55	Multi-t.sounder WM 42 tne 18-30VDC GY
142.100.68	Multi-t.sounder WM 42 tne 115-230VAC GY
144.000.66	Multi-tone sounder BWM 32 tones 48VAC BK
144.000.67	Multi-t.sounder BWM 32 tne 115VAC BK/GY
144.000.68	Multi-t.sounder BWM 32 tne 230VAC BK/GY
144.000.75	Multi-t.sounder BWM 32 tne 24VAC/DC BK/G
150.100.55	LED Buzzer EM Contin. tone 24VDC RD
150.100.67	LED Buzzer EM Contin. tone 115VAC RD
150.100.68	LED Buzzer EM Contin. tone 230VAC RD
150.300.55	LED Buzzer EM Contin. tone 24VDC YE
150.300.67	LED Buzzer EM Contin. tone 115VAC YE
150.300.68	LED Buzzer EM Contin. tone 230VAC YE
153.000.54	Siren BWM 8 tne 12VDC
153.000.55	Siren BWM 8 tne 24VDC
153.000.60	Siren BWM Contin. tone 115-230VAC
153.000.66	Siren BWM Contin. tone 48VAC
154.000.55	Vocal alarm WM 24VDC BK
160.700.60	Mini Sounder contin/pulse 115-230VAC GY
160.700.74	Mini Sounder contin/pulse 12VAC/DC GY
160.700.75	Mini Sounder contin/pulse 24VAC/DC GY
161.700.60	Midi Sounder 115-230VAC GY
161.700.70	Midi Sounder 12/24VAC/DC GY
190.000.55	Multi-t.sounder WM 32 tne 24VDC GY
190.000.67	Multi-t.sounder WM 32 tne 115VAC GY
190.000.68	Multi-t.sounder WM 32 tne 230VAC GY
190.010.68	Multi-t.sounder WM Contin. tone 230VAC G
190.020.55	Vocal alarm WM 24VDC GY
200.100.00	Permanent Beacon BM 12-230VAC/DC RD
200.200.00	Permanent Beacon BM 12-230VAC/DC GN
200.300.00	Permanent Beacon BM 12-230VAC/DC YE
200.400.00	Permanent Beacon BM 12-230VAC/DC CL
200.500.00	Permanent Beacon BM 12-230VAC/DC BU
203.100.00	Permanent Beacon WM 12-230VAC/DC RD
203.200.00	Permanent Beacon WM 12-230VAC/DC GN
203.300.00	Permanent Beacon WM 12-230VAC/DC YE
203.400.00	Permanent Beacon WM 12-230VAC/DC CL
203.500.00	Permanent Beacon WM 12-230VAC/DC BU
206.100.00	Permanent Beacon EM 12-48VAC/DC RD
206.200.00	Permanent Beacon EM 12-48VAC/DC GN
206.300.00	Permanent Beacon EM 12-48VAC/DC YE
206.400.00	Permanent Beacon EM 12-48VAC/DC CL
206.500.00	Permanent Beacon EM 12-48VAC/DC BU
207.100.67	LED Perm. Beacon EM 115VAC RD
207.100.75	LED Perm. Beacon EM 24VAC/DC RD
207.200.67	LED Perm. Beacon EM 115VAC GN
207.200.75	LED Perm. Beacon EM 24VAC/DC GN
207.300.67	LED Perm. Beacon EM 115VAC YE
207.300.75	LED Perm. Beacon EM 24VAC/DC YE
208.100.55	Flashing Beacon EM 24VDC RD
208.100.67	Flashing Beacon EM 115VAC RD
208.100.68	Flashing Beacon EM 230VAC RD
208.200.55	Flashing Beacon EM 24VDC GN

Artikelnummer	Benämning
208.200.67	Flashing Beacon EM 115VAC GN
208.200.68	Flashing Beacon EM 230VAC GN
208.300.55	Flashing Beacon EM 24VDC YE
208.300.67	Flashing Beacon EM 115VAC YE
208.300.68	Flashing Beacon EM 230VAC YE
208.400.55	Flashing Beacon EM 24VDC CL
208.500.55	Flashing Beacon EM 24VDC BU
208.500.67	Flashing Beacon EM 115VAC BU
208.500.68	Flashing Beacon EM 230VAC BU
209.100.00	Permanent Beacon RM 12-230VAC/DC RD
209.200.00	Permanent Beacon RM 12-230VAC/DC GN
209.300.00	Permanent Beacon RM 12-230VAC/DC YE
209.400.00	Permanent Beacon RM 12-240VAC/DC CL
209.500.00	Permanent Beacon RM 12-230VAC/DC BU
210.100.00	Permanent Beacon BM 12-230VAC/DC RD
210.200.00	Permanent Beacon BM 12-230VAC/DC GN
210.300.00	Permanent Beacon BM 12-230VAC/DC YE
210.400.00	Permanent Beacon BM 12-230VAC/DC CL
210.500.00	Permanent Beacon BM 12-230VAC/DC BU
213.100.00	Permanent Beacon WM 12-230VAC/DC RD
213.200.00	Permanent Beacon WM 12-230VAC/DC GN
213.300.00	Permanent Beacon WM 12-230VAC/DC YE
213.400.00	Permanent Beacon WM 12-230VAC/DC CL
213.500.00	Permanent Beacon WM 12-230VAC/DC BU
216.100.00	Permanent Beacon EM 12-48VAC/DC RD
216.200.00	Permanent Beacon EM 12-48VAC/DC GN
216.300.00	Permanent Beacon EM 12-48VAC/DC YE
216.400.00	Permanent Beacon EM 12-48VAC/DC CL
216.500.00	Permanent Beacon EM 12-48VAC/DC BU
219.100.00	Permanent Beacon RM 12-230VAC/DC RD
219.200.00	Permanent Beacon RM 12-230VAC/DC GN
219.300.00	Permanent Beacon RM 12-230VAC/DC YE
219.400.00	Permanent Beacon RM 12-230VAC/DC CL
219.500.00	Permanent Beacon RM 12-230VAC/DC BU
220.100.00	Permanent Beacon BM 12-230VAC/DC RD
220.200.00	Permanent Beacon BM 12-230VAC/DC GN
220.300.00	Permanent Beacon BM 12-230VAC/DC YE
220.400.00	Permanent Beacon BM 12-230VAC/DC CL
220.500.00	Permanent Beacon BM 12-230VAC/DC BU
223.100.00	Permanent Beacon WM 12-230VAC/DC RD
223.200.00	Permanent Beacon WM 12-230VAC/DC GN
223.300.00	Permanent Beacon WM 12-230VAC/DC YE
223.400.00	Permanent Beacon WM 12-230VAC/DC CL
223.500.00	Permanent Beacon WM 12-230VAC/DC BU
230.100.54	Micro LED Installation Beacon 12VDC RD
230.100.55	Micro LED Installation Beacon 24VDC RD
230.100.67	Micro LED Installation Beacon 115VAC RD
230.100.68	Micro LED Installation Beacon 230VAC RD
230.104.55	Micro LED Installation Beacon Eco 24V RD
230.200.54	Micro LED Installation Beacon 12VDC GN
230.200.55	Micro LED Installation Beacon 24VDC GN
230.200.67	Micro LED Installation Beacon 115VAC GN
230.200.68	Micro LED Installation Beacon 230VAC GN
230.204.55	Micro LED Installation Beacon Eco 24V GN
230.300.54	Micro LED Installation Beacon 12VDC YE
230.300.55	Micro LED Installation Beacon 24VDC YE

Artikelnummer	Benämning
230.300.67	Micro LED Installation Beacon 115VAC YE
230.300.68	Micro LED Installation Beacon 230VAC YE
230.304.55	Micro LED Installation Beacon Eco 24V YE
230.400.55	Micro LED Installation Beacon 24VDC CL
230.400.67	Micro LED Installation Beacon 115VAC CL
230.400.68	Micro LED Installation Beacon 230VAC CL
230.404.55	Micro LED Installation Beacon Eco 24V CL
230.500.55	Micro LED Installation Beacon 24VDC BU
230.500.67	Micro LED Installation Beacon 115VAC BU
230.500.68	Micro LED Installation Beacon 230VAC BU
231.100.54	Micro LED Installation Beacon 12VDC RD
231.100.55	Micro LED Installation Beacon 24VDC RD
231.100.67	Micro LED Installation Beacon 115VAC RD
231.100.68	Micro LED Installation Beacon 230VAC RD
231.104.55	Micro LED Installation Beacon Eco 24V RD
231.200.54	Micro LED Installation Beacon 12VDC GN
231.200.55	Micro LED Installation Beacon 24VDC GN
231.200.67	Micro LED Installation Beacon 115VAC GN
231.200.68	Micro LED Installation Beacon 230VAC GN
231.204.55	Micro LED Installation Beacon Eco 24V GN
231.300.54	Micro LED Installation Beacon 12VDC YE
231.300.55	Micro LED Installation Beacon 24VDC YE
231.300.67	Micro LED Installation Beacon 115VAC YE
231.300.68	Micro LED Installation Beacon 230VAC YE
231.304.55	Micro LED Installation Beacon Eco 24V YE
231.400.55	Micro LED Installation Beacon 24VDC CL
231.400.67	Micro LED Installation Beacon 115VAC CL
231.400.68	Micro LED Installation Beacon 230VAC CL
231.404.55	Micro LED Installation Beacon Eco 24V CL
231.500.55	Micro LED Installation Beacon 24VDC BU
231.500.67	Micro LED Installation Beacon 115VAC BU
231.500.68	Micro LED Installation Beacon 230VAC BU
231.504.55	Micro LED Installation Beacon Eco 24V BU
239.480.55	LED Beacon EM 24VDC MC
239.482.55	LED Beacon EM 24VDC MC
239.780.55	AS-i LED Beacon EM 24VDC MC
240.110.50	MC55 RGB Blinking Cable 10-30VDC
240.120.50	MC55 RGB M12-plug 10-30VDC
240.130.50	MC55 RGB Blinking Buzzer Cable 10-30VDC
240.140.50	MC55 RGB Buzzer M12-plug 10-30VDC
240.160.55	MC55 Touch S 24VDC
240.170.55	MC55 Touch S 24VDC Buzzer
240.210.55	MC55 RGY Cable 24VDC
240.220.55	MC55 RGY M12-plug 24VDC
240.230.55	MC55 RGY Buzzer Cable 24VDC
240.240.55	MC55 RGY Buzzer M12-plug 24VDC
240.260.55	MC55 Touch 24VDC O NPN
240.270.55	MC55 Touch 24VDC O NPN Buzzer
240.280.55	MC55 Touch 24VDC O PNP
240.290.55	MC55 Touch 24VDC O PNP Buzzer
240.320.50	MC55 UL Beacon 10-30V RGB M12
240.340.50	MC55 UL Beacon + Buzzer 10-30V RGB M12
240.420.55	MC55 UL Beacon 24V RGY M12
240.440.55	MC55 UL Beacon + Buzzer 24V RGY M12
241.320.50	MC35 UL Beacon 10-30V RGB M12
241.340.50	MC35 UL Beacon + Buzzer 10-30V RGB M12

Artikelnummer	Benämning
241.420.55	MC35 UL Beacon 24V RGY M12
241.440.55	MC35 UL Beacon + Buzzer 24V RGY M12
260.110.60	Mini TwinLIGHT 115-230VAC RD
260.110.74	Mini TwinLIGHT 12VAC/DC RD
260.110.75	Mini TwinLIGHT 24VAC/DC RD
260.120.60	Mini TwinFLASH 115-230VAC RD
260.120.74	Mini TwinFLASH 12VAC/DC RD
260.120.75	Mini TwinFLASH 24VAC/DC RD
260.210.60	Mini TwinLIGHT 115-230VAC GN
260.210.74	Mini TwinLIGHT 12VAC/DC GN
260.210.75	Mini TwinLIGHT 24VAC/DC GN
260.220.60	Mini TwinFLASH 115-230VAC GN
260.220.74	Mini TwinFLASH 12VAC/DC GN
260.220.75	Mini TwinFLASH 24VAC/DC GN
260.310.60	Mini TwinLIGHT 115-230VAC YE
260.310.74	Mini TwinLIGHT 12VAC/DC YE
260.310.75	Mini TwinLIGHT 24VAC/DC YE
260.320.60	Mini TwinFLASH 115-230VAC YE
260.320.74	Mini TwinFLASH 12VAC/DC YE
260.320.75	Mini TwinFLASH 24VAC/DC YE
260.410.60	Mini TwinLIGHT 115-230VAC CL
260.410.74	Mini TwinLIGHT 12VAC/DC CL
260.410.75	Mini TwinLIGHT 24VAC/DC CL
260.420.60	Mini TwinFLASH 115-230VAC CL
260.420.74	Mini TwinFLASH 12VAC/DC CL
260.420.75	Mini TwinFLASH 24VAC/DC CL
260.430.75	Mini TriColour 24VAC/DC RD/YE/GN
260.510.60	Mini TwinLIGHT 115-230VAC BU
260.510.74	Mini TwinLIGHT 12VAC/DC BU
260.510.75	Mini TwinLIGHT 24VAC/DC BU
260.520.60	Mini TwinFLASH 115-230VAC BU
260.520.74	Mini TwinFLASH 12VAC/DC BU
260.520.75	Mini TwinFLASH 24VAC/DC BU
260.700.01	Mini Adapter Floor Mount GY
260.700.03	Mini Adapter Installation mount M22 GY
260.700.04	Mini Adapter Installation mount PG29 GY
260.700.05	Mini Tube Adaptor GY
260.700.06	Mini Bracket Cable Gland GY
260.700.07	Mini Bracket GY
261.110.60	Midi TwinLIGHT 115-230VAC RD
261.110.70	Midi TwinLIGHT 12/24VAC/DC RD
261.120.60	Midi TwinFLASH 115-230VAC RD
261.120.70	Midi TwinFLASH 12/24VAC/DC RD
261.140.60	Midi Rotating 115-230VAC RD
261.140.70	Midi Rotating 12/24V AC/DC RD
261.210.60	Midi TwinLIGHT 115-230VAC GN
261.210.70	Midi TwinLIGHT 12/24VAC/DC GN
261.220.60	Midi TwinFLASH 115-230VAC GN
261.220.70	Midi TwinFLASH 12/24VAC/DC GN
261.240.60	Midi Rotating 115-230VAC GN
261.240.70	Midi Rotating 12/24V AC/DC GN
261.310.60	Midi TwinLIGHT 115-230VAC YE
261.310.70	Midi TwinLIGHT 12/24VAC/DC YE
261.320.60	Midi TwinFLASH 115-230VAC YE
261.320.70	Midi TwinFLASH 12/24VAC/DC YE
261.340.60	Midi Rotating 115-230VAC YE

Artikelnummer	Benämning
261.340.70	Midi Rotating 12/24V AC/DC YE
261.410.60	Midi TwinLIGHT 115-230VAC CL
261.410.70	Midi TwinLIGHT 12/24VAC/DC CL
261.420.60	Midi TwinFLASH 115-230VAC CL
261.420.70	Midi TwinFLASH 12/24VAC/DC CL
261.430.60	Midi TriColour 115-230VAC RD/YE/GN
261.430.70	Midi TriColour 12/24VAC/DC RD/YE/GN
261.440.60	Midi Rotating 115-230VAC CL
261.440.70	Midi Rotating 12/24V AC/DC CL
261.510.60	Midi TwinLIGHT 115-230VAC BU
261.510.70	Midi TwinLIGHT 12/24VAC/DC BU
261.520.60	Midi TwinFLASH 115-230VAC BU
261.520.70	Midi TwinFLASH 12/24VAC/DC BU
261.540.60	Midi Rotating 115-230VAC BU
261.540.70	Midi Rotating 12/24V AC/DC BU
261.700.01	Midi Adapter Floor Mount GY
261.700.02	Midi Adaptor Cable Gland GY
261.700.03	Midi Horn Bracket GY
261.700.05	Midi Tube Adaptor GY
261.700.06	Midi Bracket Cable Gland GY
261.700.07	Midi Bracket GY
262.110.60	Maxi TwinLIGHT 115-230VAC RD
262.110.70	Maxi TwinLIGHT 12/24VAC/DC RD
262.120.60	Maxi TwinFLASH 115-230VAC RD
262.120.70	Maxi TwinFLASH 12/24VAC/DC RD
262.140.60	Maxi Rotating 115-230VAC RD
262.140.70	Maxi Rotating 12/24VAC/DC RD
262.210.60	Maxi TwinLIGHT 115-230VAC GN
262.210.70	Maxi TwinLIGHT 12/24VAC/DC GN
262.220.60	Maxi TwinFLASH 115-230VAC GN
262.220.70	Maxi TwinFLASH 12/24VAC/DC GN
262.240.60	Maxi Rotating 115-230VAC GN
262.240.70	Maxi Rotating 12/24VAC/DC GN
262.310.60	Maxi TwinLIGHT 115-230VAC YE
262.310.70	Maxi TwinLIGHT 12/24VAC/DC YE
262.320.60	Maxi TwinFLASH 115-230VAC YE
262.320.70	Maxi TwinFLASH 12/24VAC/DC YE
262.340.60	Maxi Rotating 115-230VAC YE
262.340.70	Maxi Rotating 12/24VAC/DC YE
262.410.60	Maxi TwinLIGHT 115-230VAC CL
262.410.70	Maxi TwinLIGHT 12/24VAC/DC CL
262.420.60	Maxi TwinFLASH 115-230VAC CL
262.420.70	Maxi TwinFLASH 12/24VAC/DC CL
262.440.60	Maxi Rotating 115-230VAC CL
262.440.70	Maxi Rotating 12/24VAC/DC CL
262.510.60	Maxi TwinLIGHT 115-230VAC BU
262.510.70	Maxi TwinLIGHT 12/24VAC/DC BU
262.520.60	Maxi TwinFLASH 115-230VAC BU
262.520.70	Maxi TwinFLASH 12/24VAC/DC BU
262.540.60	Maxi Rotating 115-230VAC BU
262.540.70	Maxi Rotating 12/24VAC/DC BU
262.700.01	Maxi Adapter Floor Mount GY
262.700.02	Maxi adapter side cable gland GY
262.700.06	Maxi angle cable gland GY
262.700.07	Maxi angle GY
280.410.55	LED Obstruction light BM 12-50VDC RD

Artikelnummer	Benämning
280.410.68	LED Obstruction light BM 230VAC RD
280.470.55	LED Obstruction light BM 24VDC RD
280.470.68	LED Obstruction light BM 230VAC RD
280.480.68	LED Obstruction light BM 230VAC RD
281.410.55	LED Obstruction light BM 12-50VDC RD
281.410.68	LED Obstruction light BM 230VAC RD
281.470.55	LED Obstruction light BM 24VDC RD
281.470.68	LED Obstruction light BM 230VAC RD
281.480.68	LED Obstruction light BM 230VAC RD
300.100.01	LineLIGHT Fusion 100 24V RGB Clip
300.100.02	LineLIGHT Fusion 100 24V RGB Clip A
300.100.03	LineLIGHT Fusion 100 24V RGB Tape
300.100.04	LineLIGHT Fusion 100 24V RGB Tape A
300.100.05	LineLIGHT Fusion 200 24V RGB Clip
300.100.06	LineLIGHT Fusion 200 24V RGB Clip A
300.100.07	LineLIGHT Fusion 200 24V RGB Tape
300.100.08	LineLIGHT Fusion 200 24V RGB Tape A
300.100.09	LineLIGHT Fusion 500 24V RGB Clip
300.100.10	LineLIGHT Fusion 500 24V RGB Clip A
300.100.11	LineLIGHT Fusion 500 24V RGB Tape
300.100.12	LineLIGHT Fusion 500 24V RGB Tape A
300.100.13	LineLIGHT Fusion 150 24V RGB Clip
300.100.14	LineLIGHT Fusion 150 24V RGB Clip A
300.100.15	LineLIGHT Fusion 250 24V RGB Clip
300.100.16	LineLIGHT Fusion 250 24V RGB Clip A
300.100.17	LineLIGHT Fusion 300 24V RGB Clip
300.100.18	LineLIGHT Fusion 300 24V RGB Clip A
300.100.19	LineLIGHT Fusion 350 24V RGB Clip
300.100.20	LineLIGHT Fusion 350 24V RGB Clip A
300.100.21	LineLIGHT Fusion 400 24V RGB Clip
300.100.22	LineLIGHT Fusion 400 24V RGB Clip A
300.100.23	LineLIGHT Fusion 450 24V RGB Clip
300.100.24	LineLIGHT Fusion 450 24V RGB Clip A
300.100.25	LineLIGHT Fusion 550 24V RGB Clip
300.100.26	LineLIGHT Fusion 550 24V RGB Clip A
300.100.27	LineLIGHT Fusion 600 24V RGB Clip
300.100.28	LineLIGHT Fusion 600 24V RGB Clip A
300.100.29	LineLIGHT Fusion 650 24V RGB Clip
300.100.30	LineLIGHT Fusion 650 24V RGB Clip A
300.100.31	LineLIGHT Fusion 700 24V RGB Clip
300.100.32	LineLIGHT Fusion 700 24V RGB Clip A
300.100.33	LineLIGHT Fusion 750 24V RGB Clip
300.100.34	LineLIGHT Fusion 750 24V RGB Clip A
300.100.35	LineLIGHT Fusion 800 24V RGB Clip
300.100.36	LineLIGHT Fusion 800 24V RGB Clip A
300.100.37	LineLIGHT Fusion 850 24V RGB Clip
300.100.38	LineLIGHT Fusion 850 24V RGB Clip A
300.100.39	LineLIGHT Fusion 900 24V RGB Clip
300.100.40	LineLIGHT Fusion 900 24V RGB Clip A
300.100.41	LineLIGHT Fusion 950 24V RGB Clip
300.100.42	LineLIGHT Fusion 950 24V RGB Clip A
300.100.43	LineLIGHT Fusion 1000 24V RGB Clip
300.100.44	LineLIGHT Fusion 1000 24V RGB Clip A
300.100.45	LineLIGHT Fusion 1050 24V RGB Clip
300.100.46	LineLIGHT Fusion 1050 24V RGB Clip A
300.100.47	LineLIGHT Fusion 1100 24V RGB Clip

Artikelnummer	Benämning
300.100.48	LineLIGHT Fusion 1100 24V RGB Clip A
300.100.49	LineLIGHT Fusion 1150 24V RGB Clip
300.100.50	LineLIGHT Fusion 1150 24V RGB Clip A
300.100.51	LineLIGHT Fusion 1200 24V RGB Clip
300.100.52	LineLIGHT Fusion 1200 24V RGB Clip A
300.100.53	LineLIGHT Fusion 1250 24V RGB Clip
300.100.54	LineLIGHT Fusion 1250 24V RGB Clip A
300.100.55	LineLIGHT Fusion 1300 24V RGB Clip
300.100.56	LineLIGHT Fusion 1300 24V RGB Clip A
300.100.57	LineLIGHT Fusion 1350 24V RGB Clip
300.100.58	LineLIGHT Fusion 1350 24V RGB Clip A
300.100.59	LineLIGHT Fusion 1400 24V RGB Clip
300.100.60	LineLIGHT Fusion 1400 24V RGB Clip A
300.100.61	LineLIGHT Fusion 1450 24V RGB Clip
300.100.62	LineLIGHT Fusion 1450 24V RGB Clip A
300.100.63	LineLIGHT Fusion 1500 24V RGB Clip
300.100.64	LineLIGHT Fusion 1500 24V RGB Clip A
420.120.75	LED Multi-tne S. BM 8 tne 24VAC/DC RD
420.320.75	LED Multi-tne S. BM 8 tne 24VAC/DC YE
424.120.67	LED Horn WM Contin. tone 115VAC RD
424.120.68	LED Horn WM Contin. tone 230VAC RD
424.120.75	LED Horn WM Contin. tone 24VAC/DC RD
424.320.67	LED Horn WM Contin. tone 115VAC YE
424.320.68	LED Horn WM Contin. tone 230VAC YE
424.320.75	LED Horn WM Contin. tone 24VAC/DC YE